LIBRARY STATE PLANT BOARD

INSECTS IN RELATION

TO


NATIONAL DEFENSE

Circular 23

REFERENCE INDEX

U. S.
DEPARTMENT
OF
AGRICULTURE
BUREAU OF
ENTOMOLOGY AND
PLANT QUARANTINE

January 1944



INSECTS IN RELATION TO NATIONAL DEFENSE

* * * * * Supplemental Foreword, May 1, 1944 * * * * *

The preparation and publication of a series of articles dealing with insects that attack or annoy man and destroy materials produced and assembled for defense purposes were begun in the latter part of 1940. This series of 23 circulars was issued in processed form under the general title "Insects in Relation to National Defense." The primary purpose of these articles was to present in convenient form essential current information to aid those directly concerned with national defense on how to recognize and combat the more important insect pests that would be encountered. Seven of the series were issued in February 1941 and 18 by November of that year. Two of the remaining articles were issued in 1942, two in 1943, and the Reference Index (No. 23) in January 1944.

Since the initial preparation and publication of certain of the articles, intensive research on some of the pests has developed new and more effective methods for combating them. During the interval there have also been marked changes with regard to supplies of certain insecticides, materials used with them, and devices and equipment used to apply them. Because of these developments the recommendations on control measures and the information on materials to be used, given in certain of the circulars, are not entirely current. Conditions as to supplies are subject to frequent changes and intensified research will continue to develop new information on control practices. It has, therefore, been deemed unwise to revise the various circulars and endeavor to keep them up-to-date.

Information on new methods of control is made available to responsible military officials and, when approved by them, appropriate instructions are issued. In the case of some pests, specifically lice, where the control procedures have been modified as a result of recent research, the new materials are not generally available even for use by military agencies within the continental United States. Specific instructions from responsible military officials are, therefore, necessary in reference to their use.

The offer to supplement information included in the various circulars, which was made in the introductory number, is renewed. The Bureau of Entomology and Plant Quarantine will be glad to give advice on specific questions with regard to control of particular insects and to supply information on the availability of supplies that may be secured to combat them.

Digitized by the Internet Archive in 2013

INSECTS IN RELATION

TO

NATIONAL DEFENSE

Circular 23 - Reference Index

This circular has been prepared for the purpose of making the information contained in the previous 22 circulars of the series more readily available and useable to those for whose purpose the information was assembled. The subject matter index has been prepared in two parts: Part I is a general reference index dealing with the insects related to national defense, and includes devices, materials, and methods useful in their prevention and control. Part II is a gross reference index to those subjects. such as animals, buildings, camp locations, diseases, foods, materials, etc. with which insects are concerned in connection with national defense.

The references are arranged alphabetically. The first number after the reference indicates the number of the circular and numbers following the dash designate page numbers. References occurring in more than one circular are separated by a semicolon, and references to an illustration of the subject matter are preceded by the abreviation (illus.): e.g. 8-17, (illus.) 18; 18-7, (illus.) 8 would indicate that references to the same subject matter occur on page 17 of circular 8 and on page 7 of circular 18; also that the subject matter is illustrated on page 18 of circular 8 and on page 8 of circular 18.

PART I - GENERAL REFERENCE INDEX

Accessories (spraying)	Paris green for
20-23.	mosquito control
manufacturers and	
distributors 20-32.	uses and features
Acrobatic ant (Cre-	spraying20-40.
mastogaster, spp.)	cost; commercial
habits15-4.	companies20-42.
	methods20-41.
Aedes (Mosquitoes)	uses20-40.
aegypti L.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
adults7-7.	Alcohol (ethyl)
habits7-8.	characteristics;
yellow-fever mos-	price; uses21-7.
quito7-7.	in remedy for Sarcop-
breeding places	tes scabiei15-21.
7-12.	
egg (illus.)7-6.	Alkali (see Washing
encephalomyelitis	Soda)
transmitted by	•
7-10.	Amblyomma americanum
habits 7-9.	(L.) (see Lone star
known as "pest mos-	tick)
quitoes" 7-9.	
life history 7-2.	Amblyomma cajennense
· ·	(Fabr.) (see Cayenne
Air-bulb atomizers	tick)
description; uses	
20-6.	Amblyomma hebraeum Koch
	transmittor of human
Air	tick bite fever of
movement, in relation	Lourenco Marques
to mosquito control	12-3.
	American dog tick
Airplane	(Dermacentor variabilis
dusting20-40.	(Say))
cost; commercial	carrier of Rocky Mt.
companies20-42.	spotted fever12-2.
hopper and funnel	cause of ascending
20-41.	paralysis12-2.

American dog tick (D. variabilis (Say))(Cont'd) distribution12-5.	Anthrenus scrophulariae (see Common carpet beetle)
hosts of young stages12-9. male and female	Anthrenus vorax (see Furniture carpet beetle
(illus.)12-8. may transmit rabbit	Ants breeding places
fever12-2. nymph (illus.) 12-7.	15-5. control15-6.
reduction of, by control of meadow	distinction from termites2-2.
mice12-16. seed tick (or larva)	(illus.)3. fumigants for con-
habits12-10. (illus.)12-7.	trol15-7. fumigation of nests
American roach (Periplaneta americana L.)	identification 15-6. important kinds
description11-3. development11-4.	oil-pyrethrum ex-
(illus.)ll-5. phosphorus paste ef-	tract spray21-66. poisoned baits 15-8.
fective against	sodium arsenate
Ammonia (for relief of)	tartar emetic
centipede bites	tartaric acid
venomous caterpillar irritations15-18.	thallium sulfate
Angoumois grain moth	preventive measures
as food insect4-1.	references to literature15-11.
Anopheles (also see Malaria mosquitoes)	repellents and bar- riers15-7.
adults7-6,7,8. breeding places 7-3.	Ant nests
control7-11. eggs7-5.	control15-5,6. location15-7,8,10.
larvae7-6. pupae7-6.	Ant tapes15-7.

Aprons	uses in insect con-
chemically resistant	trol21-8.
uses6-10; 20-50.	
manufacturers and	Atomizers20-6.
distributors	air-bulb20-6.
20-50.	electric20-7.
concrete, for termite	hand pump20-6.
prevention2-18.	use to treat nasal
metal (see Shields)	infestations18-9.
	,,
Aresket	Attagenus piceus
characteristics; man-	(black carpet beetle)
ufacturers and dis-	adult3-3, (illus.)5.
tributors21-8.	larva3-3, (illus.)6.
	22212177777
use in mosquito lar-	
vicidal sprays	Bacon rind
	use in poisoned ant
7-19; 21-8.	
	baits15-9.
Argas miniatus Koch	ا الله الله الله الله الله الله الله ال
Albao Minidous Room	
(see Fowl tick)	Baits (fly)
	black strap molasses
Argentine ant (Irido-	8-12; 21-52.
myrmex humilis)	meat scraps, liver or
female and worker	"gut slime"8-18.
	640
(illus.)15-4.	
pest in the U.S.	Baking soda (treatment
15-4.	for)
poisoned bait	centipede bites
prevention of trans-	skin irritations
prevention or orang-	
portation15-6,	15-18.
Armer onto (Donallus enn)	Rorrel numns
Army ants (Dorylus spp.)	Daller barbs
habits15-3.	description and
	uses20-16.
turned and older	(illus.)20-17.
Arsenical dip	(11106./
caution19-4.	manufacturers and dis-
for control of	tributors20-18.
house lice19-4.	
ticks on horses	Barriers (also see
and cattle 12-22.	Shields)
and carrie in-cr.	
	ant15-7.
'Asbestos	termite2-33.
characteristics;	- 41
manufacturers and	Bean weevils
distributors;	as food insects4-1.
price21-9.	QD 2000 2200 100 100 100 100 100 100 100 1

Bedbugs adult10-1.	Benzene (also called Benzol)
control10-3. fumigation10-4. individual beds	larvicide for Human bot fly.8-20; 21-9. caution in handling
kerosene21-42.	characteristics
oil-pyrethrum ex- tract 10-5; 21-66.	control of bees and wasps15-14.
pyrethrum dust21-66.	in screwworm Formula No. 6218-10, 11.
sprays10-5: superheating.10-5.	source21-9. treatment for screw-
egg shells10-3. excretal specks	worm8-19; 18-9; 21-9.
(illus.)10-4. feeding habits.10-2. means of distribution	Benzoate of soda use in poisoned ant
normal development	baits15-9.
reference to litera-	Benzol (see Benzene)
ture10-6.	Benzyl benzoate control of itch or
Bed nets	scab mite15-21.
preparation and use7-21.	"Berne"
	tropical American
Bee nests	name for human bot
control15-14, 15. location15-12, 13.	fly8-20.
100001011111111111111111111111111111111	Bichloride of mercury
Bees	(corrosive sublimate)
classes15-12.	caution in use.15-7.
control15-14. social kinds15-13.	use in ant traps
solitary kinds	(1)
	Bird mites
Bellows (or knapsack)	pests of pigeons and livestock19-13.
duster	Diting onto
description and	Biting ants irritating effects
uses 20-35. manufacturers and	15-3.
distributors.20-36.	species15-3.

Biting horse lice	Black-legged tick
control19-4.	(Ixodes ricinus
description and life	scapularis (Say))
history19-3.	occurrence12-5.
(illus.)19-4.	
injury19-4.	Black widow spider
species19-3.	appearance15-23.
	bite and effect
Biting houseflies	
(see Stable flies)	control15-24.
(, , , , , , , , , , , , , , , , , , ,	distribution and
Biting lice .	habits15-23.
description; habits	references to litera-
19-2.	ture15-26.
	treatment for bites
Black blowfly	
(Phormia regina Meig.)	~~~
maggots used in	Blatta orientalis L.
disease treatment	(see Oriental roach)
8-16.	(See Clichtal loach)
	Blattella germanica L.
Black carpet beetle	(see German roach)
(Attagenus piceus)	(See German 10ach)
adult	Blocking
3-3, (illus.) 5.	termite control 2-33.
larva	tormitte control 2-77.
3-3,(illus.) 6.	Blood albumin
· · · · · / · / , (111 db · / · 0 ·	emulsifier21-5.
Black flies (or	omulbilitoi
buffalo gnats)	Blood-sucking flies
adult8-26,27.	kinds and importance
control8-26.	8-24.
description and	
habits8-26.	Blower type duster
larvae8-26.	description and
not disease trans-	uses20-36.
mitters in the	manufacturers and
	distributors20-37.
U. S8-24. transmission of	als 0110 d to1820-)/.
	Blowflies
Onchocera worm	association with
8-24.	screwworms18-3.
	SOT GAMOTING TO-).

Blowflies (Cont'd)	Boophilus annulatus
breeding places and	microplus (Can.)
habits8-16.	carrier of Texas
control	cattle fever12-22.
conical fly traps	control12-22.
	development12-22.
disposal of car-	•
casses8-17.	Borax
disposal of gar-	also known as sodium
bage5-17.	borate21-10.
treating wounds	characteristics and
and removing	uses21-10.
larvaeS-19.	manufacturers and
how they invade	distributors
humans8-15.	6-14; 21-11.
maggots used in dis-	procurement and
ease treatments	price21-11.
8-16.	repellent to Lyctus
	powder-post beetles
Body louse (Pediculus	6-8; 21-10.
humanus corporis Deg.	use to control
also known as	cockroaches21-10.
"cootie"9-2.	houseflies
biology9-5.	8-7,8,10; 21-10.
control	mosquitoes
on body9-10.	7-18; 21-10.
on clothing9-11.	stable flies
in quarters9-15.	17-8; 21-10.
dissemination9-7.	
eggs on clothing	Bordeaux spray nozzles
(illus.)9-6.	description and uses
female (illus.) 9-4.	20-28.
Doomhilus ommileéns	Dwawn handed worsh
Boophilus annulatus	Brown banded roach
(Say)	(Supella supellecti-
carrier of Texas	famale and male
carrier of cattle	(illus.)ll-7.
tick faver12-2.	(TTTM2.)TT-/.
control12-22.	
development12-22.	

Brown dog tick (Rhip-	Burning
	carcasses to control
icephalus sanguineus	
(Latr.))	blowflies
caution in control	8-17, (illus.) 18;
12-20.	18-7, (illus.) 8.
control12-19.	screwworms18-7.
in buildings	straw to control
	stable flies.17-8.
on dogs and in	
kennels12-20.	Cadelle
development12-20.	food insect4-1.
feeding habits	penetration of
12-11, 20.	containers4-5.
male and female	00110110101010101010
(illus.)12-19.	Calcium arsenate
pest of man. 2-20.	use against venomous
resistance to di-	caterpillars15-16.
gantsl.	
200	7 7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1
Brown-tail	Calcium chloride
(Nygmia phaser-hous	characteristics;
(Donov.))	price; source, indi-
irritating	vidual uses21-11.
	and the second s
	Calcium cyaniae
ryobia praetiosa	characteristics
(Koch) (see Clover	21-38.
mite)	cost21-39.
	fumigation22-34.
Bucket pump	ants15-8.
description and	manufacturers and
uses20-14.	distributors
illustration20-15	21-40; 22-51.
manufacturers and	
distributors.20-16.	California black-legged
410 01 10 000	tick (Ixodes ricinus
Buffalo gnats (see	californicus (Banks))
Black flies)	common in Pacific
DIAGN IIIES	Coast states12-5.
Duffelo moths (00000 000000000000000000000000000000000
Buffalo moths (and Carpet beetles)	Campho-phenique
Carber neerrest	treatment of skin
1 222	irritations15-18.
Fulldog ants (S	TITICACTORST)=10.
Myrmecia spp.)	

Camphor availability characteristics; price; uses21-12. spirits of alleviation of insect bites13-9; 21-12. in mosquito re- pellent formula7-22; 21-12.	Carbon disulphide also called carbon bisulfide21-14. availability21-15. characteristics21-14; 22-9. manufacturers and distributors21-15; 22-51. precautions21-15; 22-11. use as fumigant
Carbolated vaseline alleviation of flea bites13-9.	use to control ants15-7; 21-14. horse bots
Carbolic acid availability; characteristics; price	1ice9-14; 21-14.
precautions21-13. use	Carbon tetrachloride availability21-16. characteristics
control ear mange of dogs19-19. disinfect tick wounds12-14; 21-12.	industrial and medicinal uses21-16. manufacturers and distributors
treat skin irri- tations15-18.	21-16; 22-51. mixture with ethylene dichloride for fumi-
Carbon dioxide availability; price	gation
mixture with ethylene oxide for fumi- gation21-30; 22-14. solid form ("dry	uses as fumigant21-15; 22-12. use to control bees and wasps15-14.
ice")21-13, 14.	ear mange of dogs19-19. ticks in clothing12-13.

Caraca	Caumtin anda
bull	= 19 11 2011ity21-17.
des 3-3.	characteristics and
da -7.	uae
napine en demage	77 John Jons21-16.
· · · · · · · · · · · · · · · · · · ·	
items on ng pro-	Cayenne tick (Amblyom-
tection 3-1.	ma cajennense (Fabr.))
spec 3-2.	distribution12-5.
Casain	hosts of seed ticks
Casein .	
emui 21-5.	Ondan Inc. 2
6999-	Cedar (or cedarwood)
Case-moth	oil
fabrio oses3-2.	characteristics;
20120 000000000000000000000000000000000	price; manufacturers and distributors
Castor	
control of ear mange	use in mosquito-
of dogs19-19.	repellent formulas
01 000000000000000000000000000000000000	7-22; 21-17.
Cat f?	
phali	Celeure (pressure-
(Bouche)	treated wood)
annoy in in	manuf oturers and
U. 313-3.	distributors2-40.
associate ith man	
in 13-4.	Centip d z
fema. 3-3.	beneficial aspects
posalinia dingga	
tr. 13-3.	control15-30.
A - 4 4 3	kinds and hebits
Cattle	
(Margasoma amu-	references to litera-
habit 12-10.	ture15-31.
hadis, 12-10.	Centruroides suffusus
	Pocock se Durango
Cattle	scorpion)
Booph	Doorbrow
Say and a licro-	Centruroides vittatus
plus C	(Say) (see Common
distribution of the second	striped scorpion)

Cheese mites (see Ham mites)	effects on man14-2. elimination from
	grounds14-8.
Cheese skipper (see	hosts14-3.
Ham skipper	kerosene as repellent
	and killing agent
Chicken mite (Derman-	21-42.
yssus gallinae Deg.)	life history and
control; effect;	methods of attack
habits19-13.	
200200000000000000000000000000000000000	other names14-2.
Chiggers (Eutrombicula	place of attack 14-5.
alfreddugesi (Oud.))	prevention of attack
alleviation of bites	on man14-7.
or itching	sulfur dusting
carbolated petro-	14-7; 21-74.
latum14-8.	reference to litera-
collodion	ture14-9.
14-8; 21-21.	removal from man
menthol	
	seasonal occurrence
14-8; 21-48.	
petrolatum (vase-	14-3.
line)21-61.	Chines Slas (Chines
sulfur dusting of	Chigoe flea (Tunga
infested areas	penetrans (L.))
14-9; 21-74.	control13-4.
appearance and	effects13-4.
stages14-4.	life history13-5.
clothing as pro-	not identical with
tection14-7.	"chigger"13-4.
control14-7.	
oil-pyrethrum ex-	Chloroform
tract spray	availability; char-
21-66.	acteristics; price
sulfur dusting of	21-18.
infested areas	control of bees and
14-9; 21-74.	wasps15-14.
diagnosis and	precautions21-18.
lesions14-6.	treatment of screw-
distribution in U.S.	worms in humans
14-2.	18-9; 21-17.
do not burrow into	
the skin14-5.	

Thloroform (Cont'd) tube for collecting adult mosquito specimens7-4; 21-18.	Citronella o mosquito renella
	Sanitation)
Chloropicrin characteristics 21-19; 22-12. control of lice in clothing	Clearance (building) termite prevention and control2-8,18,21; 2A-3.
fumigation of bar- racks and houses	Clothes moth (see Webbing clothes moth
manufacturers and distributors	Clover mite (Bryobia praetiosa (Koch))
precautions22-13.' price21-19; 22-13.	control15-21. habits15-20.
sodium bicarbonate as eyewash21-71, uses as fumigant	Coal-tar creosote oil (see Creosote oil)
21-18; 22-12. warehouse funigation22-37.	Coal-tar pitch availabilityzl-20 characteristics; in- dustrial uses;
Chorioptes equi (Hering) (see Choriop- tic mites)	price21-19. use in termite vention2-21 22, 28; 2A-;
Chorioptic mites control of mange from19-8. effect on horses19-8.	Coal-tar plastic cement characteristics; price; manufactures and distributors
Chromated zinc chlo- ride (pressure- treated wood)	use in termite prevention 2A-5; 21-20.
manufacturers and distributors2-40.	& P. (see Screwworm fly
Chrysops nigra Macq. (deer fly) adult (illus.) 8-26.	Cockroaches control fumigationll-8.

Cockreaches (Cont'd) control (Cont'd) mindsll-8. oil yrethrum ex- tract sprayll-10; 21-66. spraysll-10. vaporizing machinell-10. developmentll-4.	control fabric pests3-9. food pests4-5. not effective against mites5-8. preventive against animal product in- sects5-8.
habitsll-3.	Cold weather
how they are trouble- somell-2.	control for fabric pests3-9.
how they gain access to buildings11-2.	Collodion (or new skin)
prevention	alleviation of chigger
cleanlinessll-7,	bites14-8; 21-21.
inspect incoming	availability; char-
suppliesl-5.	acteristics; price
methodsll-5.	
tight screening	
	Common carpet beetle
referencelu-ll.	(Anthrenus scrophu-
borax powder	adult(illus.) 3-5.
11-9; 21-10.	description3-3.
phosphorus pastes	larvae(illus.) 3-6.
11-10; 21-63.	
pyrethrum powder	Common horse bot fly
11-9; 21-66.	(Gastrophilus intes-
sodium fluoride	tinalis De Geer)
powder	adult16-2.
	control16-9.
troublesome species	distribution in U. S.
11-3.	egg-laying habits
Coconut oil coon	
Coconut oil soap	eggs 16-3, (illus.) 4.
(liquid)	
characteristics; gen-	how injury is pro-
eral uses; manufact-	duced16-6.
urers and distributors	
	16-4, (illus.) 5, 6.
emulsifier21-20.	life history and sea- sonal activity 16-7.
	The state of the s

Common striped scorpion (Centruroides vittatus (Say)) harmless15-27.	Containers (stored food) tightness essential4-5. Control measures
Compressed air sprayers description20-11,12. manufacturers and distributors 20-12. uses20-11,12.	ants
Concrete blocking for ter- mite control2-33. use in termite pre- vention2-13,18. 19,22, (illus.) 20.	blowflies 8-17; 18-6. brown dog tick 12-19. buffalo gnats3-26. cattle ticks12-22. centipedes15-30. chicken mites19-13.
Conical fly traps bait pan20-43. illustrations8-13; 20-45. specifications20-44. types and cost	chiggers14-7. clover mites15-20. cockroaches11-8. deer flies8-25. dog flies8-31. eye gnats8-22. fabric insects3-9. feather mites19-14. fleas13-6.
Connectors (metal) termite prevention2A-5.	food insects4-3. grain mite15-20. horn flies on horses19-11.
Construction (build- ing) practices in rela- tion to termites2-2,7; 2A-2.	horse bots16-9. horse flies8-25. horse ticks12-22. houseflies 8-5;19-12. house spiders15-25. human bot fly8-20.
Contact insecticides uses and action21-4.	insects essentials involved1-1,2,3.

Control measures	wasps15-13.
(Cont'd)	wood ticks12-16.
insects (Cont'd)	
devices20-2.	Cootie (see Body louse)
fumigation22-3.	
insecticides and	Corrosive sublimate
subsidiary mate-	(see Bichloride of
rials21-3.	mercury)
itch mite15-21.	
lico9-3.	Cottonseed oil
body9-10.	availability; char-
dog19-21.	acteristics; price
head9-8.	21-22.
horse19-4.	insecticidal use
pubic9-16.	powder-post beetles
Lyctus and other	6-11; 21-22.
powder-post beetles	ticks 12-23; 21-22.
6-10,15.	•
meat and animal pro-	Crab louse (see Pubic
duot insects5-7.	louse)
millipedes15-31.	
mites (mange) on dogs	Crankcase oil
demodectic19-20.	unsatisfactory for
ear19-19.	mosquito control
sarcoptic19-17.	7-18.
mites (mange) on	
horses19-8.	Cremastogaster spp.
mosquitoes7-11.	(see Acrobatic ants
pigeon flies19-23.	
punkies8-27.	Creosote (also see
sand flies8-27.	Creosote oil)
scab mite15-21.	control of body lice
scorpions15-28.	9-11.
screwworms	sprays to repel
8-17; 18-6.	scorpions15-28.
spinose ear tick	
12-23.	Creosote oil (or Coal-
stable flies	tar creosote oil)
8-31; 17-7.	caution
straw mite15-20.	12-20; 19-13; 21-23.
tarantulas15-26.	characteristics;
tropical rat mite	price; specifica-
	tions21-23.
venomous cater-	
pillars15-15.	

Cresote oil (or Coal tar oil)(Cont'd) dip brown dog tick	crescls characteristics; cost; manufacturers and distributors
spiders15-24. brown dog tick in kennels12-20.	in tropical America
centipedes1.5-30. chicken mite	Cube powder characteristics
fleas13-6.8; 21-22. house spiders15-25. millipedes15-31. sand flies8-30; 21-22. stable flies17-9; 21-23. ticks21-22. wood pressure-treated manufacturers and distributors2-40. treatment2-23.	cost

Cube powder (Cont'd)	Demodectic mites of
use to control	dogs
(Cont'd)	cause red manga
ticks on horses	
or cattle12-22.	control 9-20.
	habits 9-19.
Culex (mosquitoes)	symptoms of me a
egg rafts7-6,9.	
known as "pest mos-	7
quitoes"7-9.	Demodex can's Ley 13
larval feeding posi-	(see Demodectic mites
tion(illus.) 7-7.	of dogs)
quinquefasciatus Say (southern house	Dommosonton albiman
mosquito)	Pack.) (see Winter tick)
carrier of fila-	(Fack.) (See William Cick)
riasis7-10.	Dermacentor anderwoni
resting position of	Stiles (see Rock Mt.
adult (illus.) 7-8.	spotted fever tick)
stream control in	
relation to7-17.	Dermacentor nigrollneatus
	(Pack)
Culicoides (sand	control; develorment;
flies)8-25.	winter tick12-22.
Cyanide	Dermacentor nitens Neum.
caution15-8.	(see Tropical house
funigant for ants	tick)
15-7.	
	Dermacentor occidentalis
Deepening (lake and	Marx. (see Pacific Coast
pond margins)	tick)
mosquito control	Dermacentor variablis
7-14.	(Say) (see American dog
Deer flies	tick)
breeding sources and	OTCK /
control8-25.	Dermanyssus galli e Deg.
Chrysops nigra Macq.	(see Chicken mite
(illus.) 8-26.	
disease transmitters	Dermestes lardarium L.
8-24.	(see Larder bess, s)
	·

Dermestes vulpinus Fabr. (see Hide	airplane spraying and dusting20-40.
	barrel pumps20-16.
beetle)	bellows or knapsack
Derris	dusters 20-35.
	bucket pumps. 20-14.
dip	care of 20-4.
ticks on dogs	
	compressed air
ticks on horses	sprayers 20-11.
and cattle 12-22.	conical fly trans
ointment	dust goggles 30-43.
sarcoptic mange on	dust goggles20-48.
dogs19-17.	dust mixers20-38.
powder	dusting equipment
characteristics	20-33.
21-26.	electrocutors20-47.
manufacturers and	fan or blower dister
distributors	20-36.
	fly traps0-43.
precautions 21-26.	fumigation equipment
prevent tick bites	0-42.
12-12.	gloves and aprobs
price; source	(protective, 20-50.
21-26.	hose couplings and
use to control ants	clamps20-32.
	knapsack sprayers
15-7; 21-25. fleas	20-13.
	manufacturers and distributors. 20-51.
13-7; 21-25.	
lice	miscellaneous 20-50.
	mosquito collecting
19-5,22; 21-25.	dropper
pigeon flies	7-5, (illus.)4.
ticks	killing tube7-4.
	motorcycle spraying
12-18; 21-25.	equipment20-23.
	nozzle Y20-31.
demodectic mange	plunger type duster
of dogs19-20.	nowan dustans 10-34.
sarcoptic mange	power dusters. 20-38.
of dogs19-17.	power sprayers 10-18.
Devices for insect	pressure gauge 0-32. procurement of 10-51.
control20-1.	
atomizers20-6.	protective (ag inst
domination of the contract of	horse bots) 16-9.

Devices for insect control (Cont'd) reference to literature	Diphenylamine characteristics; price; caution to prevent discolora- tion21-27. manufacturers and distributors18-12; 21-27. use (screwworm control18-10,12; 21-27. Disk spray nozzles description20-26. uses20-27. Dog flea (Ctenocepha- lides canis (Curt.)) in U. S13-3. Dog flies (see Stable flies) Dorylus spp. (see Driver ants)
characteristics	Drainage campsites 7-13; 8-25. horse and deer fly control8-25. marshes7-13. mosquito control7-13,14. road construction7-12. sand fly control8-29. termite control8-29. Driver ants (Dorylus spp.)
use7-22. Dinitroanisole	habits15-3. Dry heat (to control)
use15-21.	food insects4-4.

Cont'd) lice in clothing9-12. Pediculoides ven- tricosus15-20. powder-post beetles6-12. Dry ice insecticidal use21-13. solid carbon dioxide21-14.	Dust mixers manufacturers and distributors20-39. types20-38,39. Ear mites of dogs (Otodectes cynotis (Hering)) control of mange from19-19. description; habits; life cycle19-18. female (illus.)19-18. irritation from19-19.
Dryness (to control) food insects4-5.	Eciton spp. (see Legionary ants)
Duponol W. A. characteristics	Electric atomizers description20-7,8. manufacturers and distributors20-9. Electrocutors (insect)
Durango scorpion (Centruroides suffusus Pocock) deaths from15-28.	for killing house- flies8-11. use; types; manufact- urers and distribu- tors20-47.
Dusters (or dusting equipment)20-4,33. airplane20-40. bellows or knapsack	Emulsifier Aresket
fan or blower 20-36. plunger20-34. power20-38. requirements and types20-33. respirators20-48.	Emulsions (apray) definition; preparation21-5.

Ether	panurecturers and
availability; price	distributors21-31.
	use as fumigant
characteristics;	21-30; 22-14.
general use21-28.	
screwworm treatment	European rat flea
18-9; 21-28.	(Nosopsyllus fasciatus
	(Bosc.))
Ethyl alcohol	female(illus.)13-2.
characteristics;	tropical America
uses; price;	
availability21-7.	United States13-2.
The hard one dishlarida	Phytomorphicula alforddu
Ethylene dichloride	Eutrombicula alfreddu- gesi (Oud mans)(see
caution21-29.	Chig rs)
use as fumigant	OHITE TO!
21-29; 22-13.	Eye gnats (Hippelates)
in mixture with car-	breeding places 8-22.
bon tetrachloride	control8-22.
cost 21-37; 22-14.	description; habits
manufacturers and	8-21.
distributors	repellents
21-30; 22-51.	8-24; 21-47,66.
reduces fire hazard	sprays8-24.
21-15; 22-12,13.	traps8-23; 20-43.
use for fumigation	
21-29; 22-42.	Fabric inserts
manufacturers and	buffalo noths3-2.
distributors 21-30.	carpet beetles 3-2,3.
mahari and and an	case-making clothes
Ethylene oxide	moths3-2.
caution21-30.	control
characteristics	cold weather3-9.
cost21-30; 22-14.	funigade storage
in mixture with car-	3-10.
bon dioxide	furigation
cost22-15.	3-1: 21-29,30.
manufacturers and	naphthalene; para-
distributors	dic orobenzene
21-31; 22-52.	3-11.
use for fumigation	
5-9; 21-30; 22-42.	

Fabric insects(Cont'd) description3-2. development3-7. infestation evidence3-2. items requiring protection3-1. prevention3-8. references3-12. tapestry moths3-2. webbing clothes moths3-2.	black widow spider bites15-24. fumigation victims22-8. Fish aids in mosquito control7-17. Flannel moths (Megalo- pygae crispata (Pack)) venomous cater- pillons
Tong (agiling)	pillars15-15.
Fans (ceiling) exclusion of house-	Fleas
flies8-11.	adults (illus.) 13-3.
	alleviation of bites
Fan type duster	carbolated vaseline
description; uses	13-9.
20-36; 37.	hydrogen peroxide
manufacturers and	13-9; 21-40.
distributors 20-37.	menthol
Death and to /Tinones	13-9; 21-48. petrolatum (vase-
Feather mite (Liponys- sus sylvarium Canad.	line21-61.
& Fanz.)	spirits of camphor
control19-14.	13-9; 21-12.
hosts19-13,14.	biology13-5.
	bites13-8.
Filling	continental United
building joints	States13-2.
2-13,21.	control connection with
low areas7-13.	rodents13-7.
Fire ants (Solenopsis	in living quarters
spp.)	
control15-9.	in outbuildings
habits (S. xyloni)	13-6.
	on domestic animals
occurrence15-3.	13-7; 21-24; 25.
COLUMN TO STATE OF THE STATE OF	kerosene as pre-
First aid	ventive13-9.

Til and (dentid)	777
Fleas (Cont'd)	Fly papers
larva and cocoon	types; uses8-14.
	773
materials for control	Fly poisons
cube powder 21-24.	formula8-14.
derris powder	
	Fly sprays
fly sprays	hand pump atomizers
13-7; 21-31.	for applying20-6.
naphthale 1013-(kerosene21-42.
pyrethrum powder	procurement21-33.
13-9; 21-65.	specifications;
prevention of	types; uses21-31.
spread13-8.	standard requirements
references13-9.	
species13-2,3	use to control
tropical America	brown dog tick
14	feather mite 19-14.
Flies	houseflies8-14.
black8-26.	house spiders
blood-sucking8-24.	
blow or screwworm	eye gnats8-24.
8-14,	pigeon flies 19-24.
buffalo gnats8-26.	stable flies17-9.
deer8-25.	wasps15-12,14.
dog8-31.	
eye gnats8-21.	rly swatters
horse8-25.	use for killing
horse bots16-1.	cockroachesll-7.
house8-2.	houseflies8-14.
human bot8-19,20.	
kinds and effects	Fly traps
8-2.	conical type
punkies8-27.	illustration
references8-32.	8-13; 20-45.
sand8-27.	use to control
stable8-31.	blowflies8-18.
	houseflies8-11.
Flooding	specifications
induces mosquito	20-43.
breeding7-14.	hodge type
	17-10, (illus.)11.
Flour beetles	special type (for eye
food insects4-1.	gnats)20-43.
illustration4-2.	

Fly traps (Cont d value; manufacturers and distributors	Fuel oil carrier for penta- chloroph nyl6-9. use to control mosquitoes
references	7-18; 21-34. porer-post beetles .21-34. 2-36; 21-34. 21-34. characteristics; gen- caution .21-35. danger of all ning
Formalin characteristics	distributo::; availability2-40; 21-35. use in mosquito larvicide7-19. Tumigable storage
Formula No. 62 (cint- ment or smear) combination screv- worm killer an wound protect I precaution (precaution)	use to control fabric pests3-10. rumigants character 22-9. d.finit
tion and units 11 source of materials .18-12 Fowl tick (Area miniatus Loca females(illus.) pest of poul	ants non 15-7. berrece and oug s for the second s
	SELECTION OF SELEC

Fumigation (Contad)	tight chambers or
characteristics of	vaults22-43.
common fumigants	method and time
	22-21.
choice of fumigant	methyl bromide 22-17.
	naphthalene22-18.
chloropicrin	paradichlorobenzene
21-18; 22-12.	22-19.
clothing to control	plans of vault for
lice9-14.	(illus.)22-45.
ticks12-13.	precautions22-22.
cockroachesll-8.	preparation of build-
concerns handling	ing22-20.
products22-50.	references22-54.
cured meats and	rooms with sulfur
cheeses 5-9; 22-47.	atomod 200da 1 4
dangers involved	stored foods4-6.
22-3,23.	sulfur dioxide
dosage22-21.	22-19,39.
dry staple foods	temperature22-21.
20-46.	under tarpaulins
equipment20-42.	22-48, (illus.)49.
ethylene dichloride	vault methods22-44.
21-29; 22-13.	warehouses
ethylene dichloride-	4-6; 22-20,23,37.
carbon tetrachloride	washing soda used in
mixture	21-81; 22-29.
21-29; 22-42.	woolens22-40.
ethylene oxide	Bundulus (on billifishes)
21-30; 22-14.	Fundulus (or killifishes)
bon dioxide mixture	mosquito control
	7-17.
experienced fumiga-	Furniture carpet beetle
tors essential	
	(Anthrenus vorax) adult(illus.)3-5.
fabrics3-11. first aid for vic-	description3-3.
tims22-8.	larva(illus.)3-6.
	Galleries
furs22-40.	termites2-5.
gas masks and ac- cessories22-4.	001111100000000000000000000000000000000
	Gambusia (ór top minnows)
grain in bins 22-50.	
hydrocyanic acid	mosquito control
22-15.	7-17.

Gardinol W. A. emulsifier in mosquito larvicides	Gastrophilus haemor- rhoidalis L. (see Nose fly)
manufacturers and distributors 21-36. proprietary product	Gastrophilus nasalis (L. (see Throat bot fly)
21-36.	Generators (hydrocyanic acid fumigation) 228.
Gas masks cannisters 22-5.	emptying22-39. order of placing
essential uses 22-4.	chemicals22-28
carbon disulphide22-50.	placement22-29.
carbon tetrachlo-	German roach (Blattella
ride22-12. chloropicrin	description11-4.
ethylene dichlo-	developmentll-4.
ride22-14.	stages11-6.
ethylene dichlo- rids-carbon tetra-	Gloves (protective or
chloride mixture	Neoprene-treated)
hydrocyanic acid	essential in handling creosote
gas22-24,	6-10; 20-50.
30, 33, 35, 36. illustration22-32.	formalin21-34. orthodichloroben-
manufacturers and distributors 22-52.	zene
types22-4.	pentachlorophenol
Gasoline	6-10; 20-50; 21-61. soil poisons for
characteristics; in-	termites2-36.
secticidal use; availability; cau-	manufacturers and distributors
tion21-36. use to control	2-40; 6-15; 20-50.
ticks12-21.	Glycerine
Gastrophilus intesti-	in phosphorus paste21-63.
nalis De Geer (see	
Common horse bot fly)	

Goggles (protective) essential uses6-10; 21-57. manufacturers and distributors 20-49. types; uses20-48.	Haematopinus asini (L) (see Sucking horse louse) Ham beetle (Necrobia rufipes De Geer) adults and larvae
Grading building sites for termite prevention2-11; 2A-4. lumber stock to pre- vent powder-post beetles6-6.	description and de- velopment5-4. Ham (or cheese) mites (Tyroglyphidae) description5-7. trouble caused by
Grain mite (see Straw mite)	Ham (or cheese skipper)
Granary (or rice weevil) food insect4-1. illustration in rice4-2.	(Piophila casei L.) adult; larvae; puparia (illus.)5-3. damage5-2,4. description; develop- ment; habits; hosts
Grasshoppers sodium arsenite poison bait21-69.	pest of cured meats and cheese5-2. screened storage as
Grease use in poisoned ant baits15-9.	Control5-8. Hand equipment
Greenbottle fly (Lu- cillia sericata Meig.) maggots in disease treatment8-16.	application of mosquito larvicides7-11,(illus.)18. Hand pump atomizers description20-6.
Gypsy moth larvae venomous caterpillars15-15.	illustration20-7. manufacturers and distributors20-7.
Roundworms)	

Harvester ante (Pogo- nomyrmex spp.) sting15-3. Harvest mites (see Chiggers)	Horn flies control19-11. female (illus.)19-10. habits19-10. life history19-11. Siphona irritans L19-10.
head louse (Pediculus humanus humanus L.) biology9-2. biology9-7. dissemination9-7. female and egg(illus.)9-4. treatment for control hair9-8. hats9-10.	Horse bots common (Gastrophilus intestinalis De Geer)16-2. control16-9. destruction of eggs16-10. distribution in U. S
control Lyctus (powder-post) beetles6-12. Hide beetle (Dermestes vulpinus Fabr.) important larder beetle5-5.	egg-laying habits
Hodge traps stable fly control17-10,(illus.)11. Honey use in poisoned ant baits15-9.	manner of injury
Honeybees habits15-13. removal of sting15-13. Hornets control15-14. habits15-13.	pupal stage16-9. references16-13. throat bot fly (Gas- trophilus nasalis L.)16-2. treatment of horses and mules16-10.

Horse flies	formalin21-33.
breeding sources;	poisons; flypapers;
control8-25.	swatters8-14.
disease transmitters	pyrethrum sprays
8=24.	8-14; 21-66.
Tabanus atratus F.	screening8-11.
(illus.)8-25.	traps8-11.
	prevention of breed-
Hose (spray)	ing8-5.
care20-25.	garbage (care and
couplings; clamps	disposal)8-8.
	manure (chemical
types; requirements	treatment)8-8.
	manure (disposal)
Hot water	sewage (disposal)
use to control	8-10.
lice in clothing	protection
9-12.	commissaries; kit-
meat and cheese	chens; mess halls;
mites5-8.	quarters8-11.
Sarcoptes scabiei	pupae or "sleepers"
15-22.	(illus.)8-5.
House continued (Coutie	references
House centipede (Scutig-	8=32; 19-24.
era forceps Raf.)	resemblance of stable
habits15-29.	flies8-31; 17-3.
TT	transmit roundworms
Houseflies	to horses19-12.
control8-5.	House anidoms
eggs(illus.)8-4.	House spiders
female(illus.)8-3.	control15-25.
latrines as breeding	kinds15-24.
places8-10.	Thuman hat fly / Dame
life history; habits	Human bot fly (Dermatobia hominus)8-19.
8-3.	tobia nominus)o-19.
maggots or larvae	adult(illus.)8-20.
(illus.)8-4.	common hosts; effects
materials used in	8=20.
control	eggs attached to an-
borax	other fly (illus.)
8-7, 8, 10; 21-10.	433112 \622
fans and electro-	larva(illus.)8-22.
cutors8-11.	known as "berne" or
fly sprays21-31.	"torcel"8-20.

Human bot fly (Derma- tobia hominus)(Cont'd) larvicides benzene 8-20;21-9. chloroform8-20. prevention8-20. treatment8-20.	sodium cyanide and sulphuric acid21-38,75; 22-26. ventilation of warehouse after fumigation with22-36. ways of producing21-37; 22-15.
Human flea (Pulex ir- ritans (L.)) female (illus.)13-3. in tropical America	Hydrocyanic acid discoids manufacturers and distributors21-40; 22-52. precaution
Human lice biology9-3. control9-8. dissemination9-7.	21-38; 22-33. price21-39. use in fumigation21-38; 22-31.
Hydrocyanic acid gas characteristics and uses as fumigant	Hydrogen peroxide alleviation of insect bites13-9; 21-40. characteristics; availability; cost
control of lice in clothing9-14. control of lice in quarters9-15.	precaution in storing
fumigation barracks and houses22-38.	<pre>(wood products) control powder-post beetles6-11.</pre>
cost22-16. cured meats5-9. warehouses22-23. precautions in use21-38,39; 22-15.	Impregnation (of wood) termite prevention2-13. Indian meal moth
sources calcium cyanide21-38; 22-34. hydrocyanic acid discoids	as food insect4-1. in corn meal (illus.)4-2. Insect powders
21-38; 22-31. liquid hydrocyanic acid22-23.	preparation of those containing pyrethrum21-65.

Insecticides classes21-3. methods of applica- tion21-4. prices; manufacturers and distributors21-7.	IN-930 use15-21. Io moth venomous cater- pillars15-15. Iodine
Insecticidal dusts types; preparation	characteristics; gen- eral uses; cost; a- vailability; caution in storage21-41. disinfectant for tick wounds 12-14; 21-41.
body for ticks	Iodoform availability; cost
for mosquito control7-9,10,11. wood adjacent to camps for sandfly control8-30.	Ixodes holocylus (Neum.) cause of Australian human tick paralysis
Insulation (for termite prevention) buildings from ground2A-3.	Ixodes ricinus (L.) cause of Australian human tick paralysis12-3.

fornicus Editor	Killing tube adult mosquito specimens7-4.
legged risk	Knapsack (or bellows)
Ixodes richted - pularis . Black-legger	duster description20-35. manufacturers and distributors20-36.
Ixodidae armored 1257 2-3.	Knapsack sprayer description; uses
Jiggers (see Dalegers)	manufacturers and distributors20-14.
Kerosene aids personal of	
linseed 6-9.	Kraft paper (copper coated)
ant repelle 5-7. character ,	from chemicals 2-35.
price; availability 21-43.	Lampblack use in Formula No. 62
ticks and oner insects 21-43.	characteristics
use to control ants15-8.	cost21-43.
bedbugs21-42. chiggers 1-42,43.	manufacturers and distributors
hornflies19-11. lice9; -43.	18-13; 21-44.
millipede 15-31.	Lard control Sarcoptic
mosquito 1-42. powder-po	mange on dogs 19-17.
beetles	Larder beetles
tropical in te	damage5-7. Dermestes lardarius L.
use in 11, 11-42.	adults and larvae(illus.)5-6.
Killifishoa (oz Dun-	Dermestes vulpinus
dulus) control de administrations	Fabr. (hide beetle) description; habits;
·····	development5-5.

pubic9-7,16. larkspur as ointment
Lime caution21-45. characteristics;
price; availability21-45. use control millipedes
diluent7-20; 21-45.
Lime sulfur cost; manufacturers and distributors21-46.
control mange mites on horses19-8,9. general21-46. repel powder-post beetles6-9; 21-46.
Lime water treating skin irritations15-18. Linognathus piliferus Burm. sucking louse of dogs19-21.

Linseed oil	Lucilia sericata Meig.
availability; price	(greenbottle fly)
21-47.	maggots used in dis-
general uses21-47.	ease treatment 8-16.
powder-post beetle	
repellent	Lyctus beetles (also
6-9; 21-46.	see Powder-post
	beetles and L.
Liquid hydrocyanic acid	planicollis Lec.)
characteristics	chemicals for control
21-37.	manufacturers and
manufacturers and	distributors 6-14.
distributors	protection period
21-40; 22-52.	6-9.
precautions	trade names6-14.
21-37,39.	control measures
price21-39.	-10
use in warehouse	chemical treatments
fumigation22-23.	6-10.
	heat treatments
Liquid soap	6-12.
use as mosquito	sanitation6-10.
larvicide7-19.	description; habits
	6-4.
Liquid vaseline	importance6-2.
use in mosquito re-	infestation symptoms
pellent spray	6-4.
7-22; 21-61.	preventive measures
Title black out (Man	inspections6-6.
Little black ant (Mon-	selection and
omorium minimum)	grading6-5.
habits15-5.	repellents
Tono show Adole /Amble	borax6-8; 21-10.
Lone star tick (Ambly-	chemical treatments
omma americanum (L))	6-8.
distribution12-5. hosts of seed ticks	susceptible products
	6-3.
12-9.	Twotus planicallis Too
Lubricating oil	Lyctus planicollis Lec. (also see Lyctus and
availability21-48.	Powder-post beetles)
characteristics	eggs(illus.)6-4.
	emergence holes and
caution21-47.	frass(illus.)6-3.
eye gnat repellent	12.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.
21-47.	
41	

Lyctus planicollis Lec. (Cont'd) gun stock damage(illus.)6-3. larvae(illus.)6-4. sapwood damage(illus.)6-6,7. winged adult(illus.)6-2.	barrel pumps20-18. bellows (or knapsack) dusters20-36. blower type duster20-37. borax6-14; 21-11. bucket pumps20-16. calcium cyanide21-40; 22-51. carbon disulphide
Malaria mosquitoes (also see Anopheles) borrow pits as breeding places7-11,12.	carbon tetrachloride21-15; 22-51. carbon tetrachloride21-16; 22-51. cedar (or cedarwood) oil21-17. celcure (pressure-
Management water for mosquito control7-13.	treated wood)2-40. chemicals to control Lyctus beetles 6-14. chloropicrin
Mange mites control19-8. kinds and injurious effects on dogs	21-19; 22-51. coal-tar creosote 2-39; 6-14. coal-tar plastic
kinds; habits; presence on animals	cement21-20. cocoanut oil soap21-21. compressed air sprayers20-12.
Mansonia mosquitoes breeding place(illus.)7-10. control7-14. habits7-9. known as "pest" mosquitoes7-9.	creosote oil21-23. cresols21-24. cube powder21-25. derris powder21-26. devices for insect control20-51. diatomaceous earth
Manufacturers and distributors air-bulb atomizers	diphenylamine18-12; 21-27. Duponol W.A21-28. dust mixers20-39. electric atomizers20-9. ethylene dichloride21-30.

Manufacturers and dis-	neoprene-treated
tributors (Cont'd)	gloves
ethylene dichloride-	2-40; 6-15; 20-50.
carbon tetrachlor-	nicotine sulfate
ide mixture	orthodichlorobenzene
21-30; 22-51. ethylene oxide	2-39; 6-14; 21-57.
21-31.	Orvus W.A21-58.
ethylene oxide-carbon	pentachlorophenol
dioxide mixture	6-14; 21-61.
21-31; 22-52.	phosphorus paste
fan type dusters	21-64.
20-37.	pine oil21-64.
fly traps20-43. fumigation chemicals	pine tar oil21-65. plunger type hand
and equipment	dusters20-34.
22-50.	power dusters20-38.
Gardinol W. A.21-36.	power sprayers 20-22.
gas masks22-52.	pressure-treated
goggles (protective)	wood2-40,41.
hand numn atomicans	products to prevent
hand pump atomizers20-7.	and control termites
hydrocyanic acid,	pyrethrum21-67.
discolds and liquid	respirators20-48.
21-40; 22-52.	sassafras oil21-68.
insect electrocutors	sodium arsenite
20-47.	21-70.
insecticides and sub- sidiary materials	sodium benzoate21-70.
	sodium cyanide
knapsack sprayers	21-40; 22-52.
20-14.	soil poisons for ter-
lampblack	mite control2-39.
1arkspur21-44.	spearmint oil21-72. spraying accessories
lime sulfur (dry)	
21-46.	Sta-way21-73.
list of21-82.	sulfocide 6-15;21-75.
methyl bromide	sulfonated castor oil
21-51; 22-53.	21-73.
microfine sulfur6-15; 21-75.	sulfuric acid22-53. tarpaulins (rubber-
moth proofing	ized)22-53.
materials21-53.	tartar emetic21-77.

Manufacturers and distributors (Cont'd) thallium sulfate	Mercuric chloride characteristics; price; availability; caution21-49. known as corrosive sublimate21-49. use as antiseptic or disinfectant21-49. use to control ants21-49. pubic lice9-16.
Margaropus annulatus (see Cattle-fever tick)	Metal cans ant bait containers15-9(illus.)10.
Mediterranean flour moth food insect4-1. in flour(illus.)4-2.	Methyl bromide caution21-51. characteristics and uses as fumigant21-50; 22-17. harmful to certain
Megalopygae crispata (Pack) (see Flannel Moths)	foods21-50; 22-37. manufacturers and distributors
Megalopyge opercularis (A. & S.)(see Puss caterpillar)	price21-51; 22-53. price21-51 toxic effect on man
Menthol characteristics; general uses; price; availability 21-48. use to alleviate bites	Methyl formate-carbon dioxide mixture use as fumigant5-9.
Mentholated ointments use to alleviate bites13-9.	Microfine sulfur manufacturers and distributors6-15; 21-75. powder-post beetle
Mecurial ointment use to control pubic lice9-16; 21-49.	repellent6-9. proprietary sulfur product21-74.

Millipedes	characteristics;
appearance; habits	cost; availability
are not injurious	
	Monomorium pharaonis
control15-31.	(see Pharaoh ant)
reference15-31.	
	Mosquitoes
Mineral oil	alleviation of bites
characteristics;	
price; availability	collection and deter-
21-51.	mination7-3.
use in bedbug sprays	control7-3,11.
21-51.	bed nets7-21.
900	clearing aquatic
Mites	vegetation7-21.
as food pests4-1.	local agencies
chicken19-12,13.	
chorioptic19-8.	organization7-11.
clover15-20.	procedure7-10.
cold storage not effective5-8.	larvicides7-17.
control measures	borax 7-18;21-10. emulsifier (cocoa-
fumigation5-9.	nut oil soav)
heat and steam	
5-8.	lime-Paris green
demodectic 19-15,19.	dust
ear19-15,17.	7-19; 21-45,59.
feather19-13,14.	materials used
itch or scab15-21.	7-17,
mange19-6,15.	18;21-8,28,34,35.
psoroutic19-7.	0117-18.
sarcoptic	pyrethrum oil
19-6,15,16.	emulsion7-19.
straw or grain	repellents7-22.
	cedar oil21-17.
tropical rat15-18.	oil of citronella
	7-22; 21-55.
Moist heat	petrolatum-pyre-
use to control pow-	thrum extract
der-post beetles	21-61.
6-12.	spirits of camphor
Molegas (Blask street)	7-22; 21-12.
Molasses (Black strap)	Sta-Way
bait for house and	7-23; 21-73.
blow flies	
3-12; 21-52.	

Mosquitoes (Cont'd) control (Cont'd) sprays	Myrmecia spp. bulldog ants of Australia15-3.
pyrethrum-oil 7-22; 21-66,67. traps (illus.)7-4,5. water management7-13. habits; breeding places7-2. importance to man7-2. life history (dia- gram)7-2. malarial species7-5. pest species7-9. protection from adults7-21 protective screens	Naphthalene availability; price
references7-21. surveys7-10. yellow fever species	millipedes15-31. tropical rat mite15-19.
Moth proofing commercial products	Naturally resistant wood kinds2-24. use to prevent termites2-13,22,24.
fabric pests3-8. manufacturers and distributors 21-53.	Necrobia rufipes DeGeer (see Ham beetle)
Motorcycle spraying equipment	Neoprene-treated gloves (see Gloves)
description; uses20-23.	Nests (bees and wasps) control15-14.
Mouse (rat) flea (see Ctenopsyllus segnis (Schon.))	Nicotine (dip) caution19-5. use to control horse lice19-5.
Mutillidae (see Velvet ants)	mange mites on horses19-8.

Nicotine sulfate caution 12-18;21-55. characteristics; trade name; general uses21-54. cost; manufacturers and distributors21-55. use to control clover mite 15-21.	Nun moth venomous cater- pillars15-15. Nygmia phaeorrhoea (Donov.)(see Brown tail moth) Oil ant repellent15-7.
feather mite 19-14. ticks 12-18; 21-54.	mosquito larvicides
No-see-ums (see Sand flies) Nose fly (Gastrophilus haemorrhoidalis L.)	characteristics; source; storage; cost; availability21-55. mosquito repellent7-22; 21-55.
adult16-2,(illus.)3. control16-9. distribution in U.S16-6. egg16-4. egg-laying habits16-3. injury16-6.	Olive oil general uses; cost; availability21-56. use to control ear mange on dogs
larva16-4, (illus.)5,6. life history16-7. protective devices16-9.	Onchocerca worm effect on man8-24. transmitters of 8-24.
Nosopsyllus fasciatus (Bosc.)(see European rat flea)	Organization mosquito control
Nozzles(spray)20-26. Nozzle Y (spray) description; uses	(Xenopsylla cheopsis (Roths.)) in tropical America

Oriental roach (Blatta orientalis L.)	2-36; 21-56.
illustrationsll-6.	Orvus W. A.
known as "black	cost; manufacturers
beetle"ll-3.	and distributors
	21-58.
Ornithodoros (see Soft-	emulsifier21-57.
bodied ticks)	Omarbirior
boalca blons,	Pacific Coast tick
Ornithodoros megnini	(Demacentor occiden-
Duges (see Spinose	talis Marx.)
ear tick)	distribution12-5.
our ston,	4150115401011
Ornithodoros moubata	Paradichlorobenzene
(Murray)	characteristics;
transmits African	uses21-58; 22-19.
relapsing fever	cost; availability
12-3.	
	injurious effect on
Ornithodoros turicata	food products
Duges	21-59; 22-19.
female (illus.)	not recommended
12-15.	against termites
location; habits	
12-5.	storage21-58.
prevention12-16.	uses
transmits relapsing	control fabric
fever12-5.	pests3-11.
,	control millipedes
Orthodichlorobenzene	
characteristics	fumigate woolens
21-56.	and furs22-40.
injurious effect on	repel fabric pests
humans6-10.	3-8; 21-58.
manufacturers and	soil fumigant
distributors	21-58.
2-39; 6-14; 21-57.	
price; caution	Paper wasps (Polistes
	and Vespa)
trade names6-14.	habits15-13.
use to control	
powder-post beetles	Paraffined canvas
6-11; 21-56.	use to protect
termites	shrubbery2-35.



Parajulus venustus Wo	
an annoying millipe	6-14; 21-61.
• • • • • • • • • • • • • • • • • • • •	use to control
Parajulus impressus S	
an annoying milli-	6-11.
pede15-31	
200000000000000000000000000000000000000	
Paraponera clavata	use to repel
effect of sting	J.yctus beetles
15-3	
Parasites (dogs and	Periplaneta americana L.
horses)	(American roach) 11-3.
references19-24	
	Petrolatum
Paris green	availability21-62.
caution 7-20; 21-59	,
characteristics	forms; cost
price; availability	
use to control	control pubic lice
malarial mosquito	
7-19; 21-59	
millipedes15-31	
	prevent creosote
Pea weevils	burns21-23.
food insects4-1	
	chigger bites
Pear burner	
use to control tick	S
12-21	
	characteristics;
Pediculoides ventrico	
(Newp.) (see Straw mi	
77	21-63.
Pentachlorophenol	uses
characteristics;	control chicken
caution21-60	
effect on humans	larvicide for flies
	•

Pharaoh ant (Monomorium pharaonis) habits	uses control powder-post beetles6-11; 21-64. industrial21-64. solvent 6-9; 21-64.
use to control ear mange of dogs19-19.	Pine tar oil characteristics; cost; manufacturers and distributors21-65.
Phormia regina Meig. (Black blowfly) maggots used in disease treatment8-16.	uses control ticks in animals' ears12-23; 21-64. fly sprays21-65. medicinal and in-
Phosphorus paste characteristics; caution21-63. manufacturers and	dustrial21-65. screwworm repellent18-7; 21-64.
distributors 21-64. use in roach control21-63.	Piophila casei L. (see Ham skipper) Plunger type hand duster
Phthirus pubis (L.) (see Pubic louse) Pigeon fly (Pseudo-	description; uses; man- ufacturers and dis- tributors20-34.
lynchia canariensis Macq.) control19-23.	Pogonomyrmex spp. (see Harvester ants)
illustration19-22. life history; habits 19-22. pigeon pest19-22. pupae (illus.) 19-23.	Poisoned baits for ants containers15-9,(illus.)10. distribution 15-9,10. formulas15-8,9.
Pill boxes ant bait containers	Polistes (see Paper wasps)
Pine oil characteristics;	Polybiinae (see Tropi- cal social wasps)
price; manufacturers and distributors21-64.	Potassium carbonate use against sarcoptic mange on dogs 19-17.

Powder-post beetles (also see Lyctus beetles and L. plan- icollis Lec.) control	Power dusters description; uses; manufacturers and distributors20-38
chemical treat- ments6-10. cottonseed oil21-22. heat treatments6-12. kerosene dip21-42. manufacturers and distributors of chemicals6-14. measures6-10. orthodichloroben- zene 6-11; 21-56. pine oil21-64. sanitation6-10.	Power sprayers description; uses
trade names of chemicals6-14. turpentine-kerosene mixture6-11; 21-79. important species6-2. prevention inspections6-6. sulfur dip6-8; 21-74. repellents chemical treat- ments6-8. lime-sulfur 21-46. linseed oil6-9; 21-46. references6-15. symptoms6-4. unimportant species6-2.	Precautions absorption of fumi- gants

Precautions (Cont'd) exposure to carbon tetrachloride2-16; 22-12. fumigation22-22. bedbugs10-5. calcium cyanide22-35. cockroachesll-8. fabric insects3-11. hydrocyanic acid	cnloropicrin9-14: 22-13,39. creosote oil 21-23. cyanide (all forms)21-39. ethylene dichloride21-29; 22-14. formalin21-34. fumigants22-3. hydrocyanic acid discolds
gas3-11;9 -14,15;10-5;11-8; 13-7;22-15,38,39. methyl bromide	insecticidesll-3; 20-3. mercuric chloride21-49.
8;21-51;22-18,39. naphthalene 21-54; 22-18	methyl bromide13-7,8;21-51;22-18,39. nicotine sulfate
paradichlorobenzene21-59; 22-19. under tarpaulins22-48.	orthodichloroben- zene21-57. Paris green21-59. pentachlorophenol
use gas masks22-3,4. use trained ex- perienced per-	phosphorus pastell-10; 21-63. sodium arsenite
sonnel 4-6; 22-3. generating hydro- cyanic acid gas	sulfuric acid21-75. sulfur dust
handling benzene18-10,11; 21-9. carbolic acid	tartar emetic21-77. thallium sulfate
carbon disulfide 9-14;21-15;22-11. caustic soda	inflammable materials fuel oil21-35. gasoline21-36.
chemicals for powder-post beetle control	lubricating oil
chloroform21-18.	internal use of carbon disulfide16-12.

Precautions (Cont'3)	Procurement
preparation of	insecticides and sub-
Formula 62 smear	sidiary materials
18-11.	
storage	
diphenylamine	Pseudolynchia canarien-
	sis Macq. (see Pigeon
formalin21-34.	fly)
fumigants22-3.	
hydrogen peroxide	Pscrophora (mosquitoes)
21-40.	habits7-9.
insecticides	"pest mosquitoes"
11-3; 20-3.	
iodine21-41.	
paradichloroben-	Psoroptes communis equi
zene21-58.	(Gerlach) (Psoroptic
silver nitrate	mites)
	cause of psoroptic mange
sodium fluoride	on horsos19-7.
11-8; 21-72.	control of mange
use	caused by19-8.
derris ointment	description; habits
near eyes9-16.	
mercurial ointment	
9-16.	Psoroptic mites (see
Paris green7-20.	Psoroptes communis equi
pyrethrum on live-	(Gerlach))
stock21-66.	(0000000)
soil poisons 2-35.	Pubic louse (Phthirus
ventilating fumigated	pubis (L.))
buildings 22-36,38.	biology9-7.
	control
Preservetives	body; clothing
ethyl alcohol21-7.	9-16.
001192 020011020002	quarters9-17.
Pressure guage	mercuric chloride
power sprayer 20-32.	ointment
powor borayor 20 jai	9-16; 21-49.
Pressure-treated wood	"crab louse"9-2.
length of service	dissemination9-7.
2-22.	egg and male
manufacturers and	(illus.) 9-4.
distributors2-40.	(11111111111111111111111111111111111111
preservatives2-23.	Pulex irritans (L.)(see
	Human flea)
us2-13,21,22.	umman 1198)

Pumping	use to control or
water for mosquito	repel (Cont'd)
control7-13.	mosquitoes
	7-19,22; 21-67.
Punkies (see Sand flies)	pigeon flies 19-24.
	roaches21-66.
Puss caterpillars	stable flies17-9,
(Megalopygae oper-	tropical rat mite
cularis (A. & S.))	
cocoon; larva; moth	use to prevent tick
(illus.) 15-17.	bites12-12.
description; habits	
	Rabbit fever (tularemia)
venomous cater-	transmitters8-24.
pillars15-15.	
	Rat (and mouse) flea
Pyrethrum	(see Ctenopsyllus segnis
dust (sources and	(Schon.))
uses)21-65,66.	
emulsion	Red bugs (see Chiggers)
kerosene7-22.	
oil7-19; 21-67.	References to literature
extracts21-67.	ants15-11.
kerosene7-22.	bedbugs10-6.
oil21-66.	bees and wasps 15-15.
nonpoisonous to man	chiggers14-9.
21-67.	cockroachesll-ll.
price; manufacturers	devices for insect
and distributors	control20-56.
	fabric insects3-12.
remedy for Sarcoptes	fleas13-9.
scabiei15-21.	flies8-32.
use to control or	food insects4-6.
repel	fumigation22-54.
ants15-7.	horse bots16-13.
bedbugs21-66.	insecticides and sub-
brown dog tick	sidiary materials
12-21.	21-86.
eye gnats8-24.	lice9-17.
fleas21-66.	meat and animal pro-
horn flies19-11.	duct insects5-10.
house flies8-14.	mites15-22.
lice	mosquitoes7-23.
,19-5,22; 21-66.	powder-post beetles
millipedes15-31.	6-15.

References to literature (Cont'd) screwworms18-13. stable flies17-12. termites2-42.	Reticulitermes spp. (also see Termites) subterranean or ground-nesting ter- mites2-2. Rhipicephalus sanguineus
Refrigeration meat and animal products5-1.	(Latr.)(see Brown dog tick)
Removal aquatic vegetation to control mosqui- toes	Rice (or granary) weevil food insect4-1. illustration4-2. Rocky Mt. spotted fever tick (Dermacentor andersoni Stiles) carrier of Rocky Mt. spotted fever12-2. cause of ascending paralysis12-2. common in Rocky Mt. region12-2,5. hosts of young stages

Rubberized tarpaulins (see Tarpaulins) Sal soda (see Washing soda) Sand fleas	Sarcoptes scabiei (Deg.) causes sarcoptic mange of horses19-6. control on man15-21. description; habits
infestations13-5.	"itch" or "scab" mite of man15-21.
Sand flies adult and larva	references15-22.
biology8-29. breeding places	Sarcoptes scabiei equi (Gerl.) carries "cavalryman's itch"19-7.
control8-29. effect on man and livestock8-25. eggs and pupa	Sarcoptic mites (see Sarcoptes scabiei (Deg.))S. scabiei canis
other names8-27.	Gerl., S. scabici equi (Gerl.) control of mange
oil-pyrethrum ex- tract 8-30;21-66.	caused by19-8.
sassafras oil	Sassafras oil characteristics; cost;
spearmint oil8-30; 21-72.	manufacturers and distributors21-68. sand fly repellent
Sanitation	21-68.
aid to control food insects4-4. meat insects5-7. powder-post bee- tles6-10.	Saw-toothed grain beetle food insect4-1.
roaches11-7.	Scab mite (also see Sarcoptes scabiei (Deg.))
Sarcoptes scabiei canis Gerl.	carbolic acid for control21-12.
causes sarcoptic mange of dogs19-16. control19-17. habits and life history19-16.	Scolopendra heros Gir. bite15-29.
302311111111111111111111111111111111111	

bite15-29. Scorpions control15-28. kinds and habits15-27. references13-28.	Screwworm fly (Cont'd) loss caused18-1. manner of attack18-2. methods of avoiding attack18-6,7. pupa18-4,(illus.)18-6. spread18-5.
scouts mosquito control	Screwworms (also see Screwworm fly) airbulb atomizer for treatment20-6. association with blowflies18-3. control18-6. distribution18-2. do not breed in carcasses18-3. effect on man and animals19-11,12. materials for treat- ing infestations chloroform 8-19; 18-9; 21-17. ether21-28. prevention in wounds pine tar oil
eggs18-3,(illus-)18-5. female (illus 1-15. larva18-3,(illus.)18-5. life his ory and stages18-3.	Sealing (joints and spaces) termite prevention2A-5.

Selection (of stock)	Soap
against powder-post	use as emulsifier
beetles6-5.	
	use to control
Shelter tubes of	body lice9-10.
termites	Sarcoptes scabiei
construction	
2-7,13,24.	ticks12-18.
destruction2-31.	
illustrations	Soapstone (powdered)
2-5,6,31.	diluent for Paris
	green7-19.
Shields (metal)	
termite prevention	Sodium arsenite
or control	characteristics; cost;
mechanical block-	caution21-69.
ing with2-33.	manufacturers and
requirements for	distributors21-70.
installation	uses
2-28.	general21-69.
types2-25.	livestock dip
breadpan2-25,	
(illus.)2-10,12,	poison ant bait
15.	
strip2-	soil poison for ter-
26, (illus.)2-16.	mites 2-36; 21-69.
use 2-13,14,21,24;	
2A-5; (illus.)2-10,	Sodium benzoate
12,15,16,17,20,27,	characteristics; cost;
29.	manufacturers and
	distributors; uses
Silverfish	21-70.
control21-66.	
	Sodium bicarbonate
Silver nitrate	characteristics;
characteristics;	availability; uses
caution21-68.	21-71.
cost; availability	
21-69.	Sodium cyanide
disinfectant for tick	characteristics; ef-
wounds 12-14;21-68.	fects21-38; 22-26.
Girls and invited a	cost; availability
Siphona irritans L.	21-39.
(see Horn flies)	

Sodium cyanide (Cont'd) manufacturers and distributors21-40; 22-52.	Solenopsis spp. (see Fire ants) Spearhead
use to generate hydrocyanic acid gas21-38; 22-26.	use in mosquito con- trol(illus.),7-15.
Sodium fluoride characteristics; general uses 21-71. cost; availability; caution21-72. use to control or	Spearmint oil characteristics; price; manufacturers and distributors21-72. sandfly repellent8-30; 21-72.
repel ants15-7. cockroaches11-8; 21-71. horse lice19-5.	Spiders
Soft bodied ticks (Ornithodoros) avoidance of bites	Spinose ear tick (Ornithodoros megnini (Duges)) control in animals' ears12-23. distribution12-5. habits; development12-23. injurious effect on man and animals
Soil poisons containing coal tar creosote21-23. termite control	removal from ears of man12-23.
manufacturers and distributors2-39. use2-34.	Spirits of camphor (see Camphor) Spirobolus marginatus Say
Soldiers caste of termites2-2.	annoying millipede

Spray emulsions	for control of
definition; prepara-	adult mosquitoes
tion21-5.	
010111111111111111111111111111111111111	ants15-6.
Sprayers (or spraying	bedbugs10-5.
equipment)	black widow spiders
	_
accessories20-23.	
care20-4.	centipedes15-30.
hose20-24.	chicken mite 19-13.
nozzles20-26.	clover mite15-21.
requirements20-5.	cockroachesll-10.
rod extensions	eye gnats8-24.
20-29.	feather mite 19-14.
selection20-5.	fleas13-6,7.
shut-off20-29.	horn flies19-11.
types	houseflies8-14.
atomizer20-6.	house spiders
barrel pump 20-16.	15-25.
bucket pump 20-14.	millipedes15-31.
compressed air	scorpions15-28.
20-11.	social bees and
knapsack20-13.	wasps15-14.
motorcycle20-23.	solitary wasps
power20-18.	15-12.
use around army	stableflies
The state of the s	8-32; 17-9.
camps20-5.	
vaporizer20-9.	tropical rat mite
00.01	
Spray hose20-24.	venomous cater-
-	pillars15-16.
Spraying	mosquito larvicides
clothing against	7-18,19.
ticks12-12.	application(illus.)
vegetation to con-	7-18.
trol ticks12-18.	repellent
	adult mosquitoes
Spray nozzles20-26.	7-22.
	eye gnats8-24.
Spray rod extensions	
20-29.	Spray shut-offs
	illustrations20-30.
Sprays	types20-31.
definition21-4.	uses20-30.
401111101011011001000000000000000000000	2505

Spreaders use in insecticidal sprays21-5.	proprietary mosquito repellent7-23; 21-73.
Stable flies (Stomoxys calcitrans Fabr.) adult (illus.) 8-31, 17-4,6. annoyance to man and animals 17-2; 19-9. biting and egg-laying habits17-5. breeding places8-31; 17-2. control17-7. borax 17-8; 21-10. pyrethrum-oil	Steam use to control lice9-13. meat and cheese mites5-8. Sarcoptes scabiei 15-22. use in heating chemicals6-8. Stomach poisons uses; action21-3.
sprays17-9; 21-66. traps17-10. description of stages17-3.	Stomoxys calcitrans Fabr. (see Stable flies) Storage use to control lice
disease transmitters3-24; 17-2,19-9. distribution17-2. flight17-6.	Straw itch cause15-20.
hibernation17-6. larva or maggot 17-3,4,(illus.)17-4. life cycle17-3. location of eggs	Straw mite(Pediculoides ventricosus (Newp.)) control15-20. dermatitis15-20. other names15-22.
prevention of breed- ing8-31; 17-7. pupa	Sucking horse louse (Haematopinus asini (L.)) control19-4. description; life history19-3. illustration19-4. injury19-4.
Sta-Way cost; manufacturers and distributors21-73.	Sucking lice description; habits19-2.

Subterranean termites	ointment
(also see Termites)	Sarcoptes scabiei
conditions favorable	remedy15-21.
2-6 .	powder-post beetle
Reticulitermes spp.	repellent
2-2.	6-8; 21-74.
	use to control
Sugar	body lice9-11.
use in poisoned ant	chiggers
baits15-8,9.	14-7,9; 21-74.
	feather mite 19-14.
Sulfated alcohols	Pediculoides ven-
emulsifiers21-5.	tricosus15-20.
	sarcoptic mange
Sulfocide	mites19-17.
manufacturers and	soap
distributors	Sarcoptes scabiei
6-15; 21-75.	remedy15-21.
powder-post beetle	
repellent6-8.	Sulfur dioxide
proprietary sulfur	corrosive action of
product21-74.	fumes22-40.
	characteristics
Sulfonated castor oil	22-19.
(also see Turkey red	irritating effects on
oil)	humans22-19.
characteristics;	uses as fumigant
price; manufacturers	empty buildings
and distributors	21-74.
21-73.	rooms22-39.
constituent of Form-	
ula No. 6221-73.	Sulfuric acid
known as turkey red	availability
oil21-73.	21-76; 22-53.
wetting and emulsi-	characteristics; in-
fying agent21-73.	jurious effects
	21-75; 22-28.
Sulfonated oils	cost; caution21-75.
emulsifiers21-5.	use in generating hy-
C] A	Arocyanic acid gas
Sulfur	21-75; 22-26.
availability; price	Consile somellestilism
	Supella supellectilium
characteristics;	Serv. (see Brown
forms; caution	banded roach)
21-74.	

Surface applications	types and uses 20-49.
chemicals to control	use in fumigation
powder-post beetles	22-48, (illus.)49.
6-11.	
	Tartar emetic
Surveys	characteristics; cost;
mosquito7-10.	manufacturers and dis-
	tributors; caution
Tabanus atratus F.	21-77.
adult (illus.) 8-25.	use in poisoned ant
	baits15-8,9;21-77.
Talc (or talcum)	7,7,7,7
characteristics;	Tartaric acid
cost; availability	characteristics; cost;
21-76.	availability; caution
general uses21-76.	
uses in mixture	use in poisoned ant
control body lice	baits15-9; 21-78.
9-11.	
control fleas	Termites
13-7; 21-76.	conditions favoring
diluent for Paris	infestations2-6;
green 7-19;21-76.	2A-3; (illus.) 2-9.
D24011 27) 72	control 2-30.
Tapestry moth	drainage 2-11;2A-4.
fabric pest3-2.	primary or structu-
	ral methods2-33.
Tarantulas	damaging species
control15-26.	
habits15-25.	distinction from ants
references15-26.	2-2,4,(illus.)2-3.
10101011000011111/ 201	forms or castes. 2-2.
Tar oil	identification2-2.
use to control sar-	identification of
coptic mange 19-17.	work2-2,4,5.
	inspections
Tar paper	2-30,31; 2A-6.
use to protect	materials used in pre-
shrubbery from	vention or control
chemicals2-35.	asbestos21-8.
Official Section 2	manufacturers and
Tarpaulins (rubber-	distributors 2-39.
ized)	
	metal shields
manufacturers and	2-24; 2A-5.
distributors	sodium arsenite
20-49; 22-53.	21-69.

Termites (Cont'd) materials used in prevention or con-	Termite tubes (see Shelter tubes)
trol (Cont'd) soil poisons2-34,39.	Thallium sulfate caution15-9; 21-79. characteristics
naturally resistant wood2-22. pressure-treated	cost; uses; manu- facturers and dis-
wood2-22,40. moisture essential2-11; 2A-2. paradichlorobenzene	tributors21-79. use in poisoned ant baits 15-8,9; 21-78.
not recommended21-58.	Theobaldia mosquitoes egg rafts
prevention of infestation2-7.	7-9, (illus.)7-6. habits7-9.
avoid contact with soil2-8; 2A-3. clearance	known as "pest mosquitoes"7-9.
2-8,11; 2A-3. concrete platforms or ground slabs	Throat bot fly (Gastro-philus nasalis (L)) adult
construction practices2-7; 2A	distribution in U.S
-3; (illus.) 2-9. exterior woodwork2-18.	eggs 16-3, (illus.)16-4.
<pre>importance2-2. isolation</pre>	how injury is produced16-6.
2-13; 2A-4. removal of debris 2-7,8; 2A-3.	larvae
sound construction2-24. water pipes, etc2-21.	life history and seasonal activity 16-7.
wood in basements2-19. ventilation	Ticks avoidance of attack and infection
2-11; 2A-4. references2-42.	disease infection
shelter tubes(illus.)2-5,31.	from bites12- 11,12,13,14,15,16.

removal when attached12-13.
seed ticks12-6.
wood ticks
control12-16.
disease carriers
species12-4.
m • 1 2 • • • • • • • • • • • • • •
Tide and spill gate
mosquito control
(illus.)7-16.
Tineola biselliella (see
Webbing Clothes moth)
4
Top minnows (Gambusia)
mosquito control
7-17.
Torcel (see Human bot
fly)
Trade names
chemicals for powaer-
post beetle control
6-14.
Man a sa a
Traps
blowfly8-18; 20-43.
conical type8-12;
20-43; (illus.)8-13.
unsuitable for sta-
ble flies17-10.
electric type
houseflies
8-11; 20-47.
mosquitoes
7-4, (illus.)5.
stable or dog flies
8-31; 17-10.
fly8-11; 20-43.
Hodge type
housefly 9 12- 20,11.
housefly 8-12; 20-43.

Traps (Cont'd) special eye gnat8-23; 20-43. stable fly17-10. Trenching	Tularemia (or rabbit fever) blood-sucking flies as transmitters8-24.
termite control2-36,37.	Tumblers name for mosquito pupae7-5.
biting louse of dogs	lethal action of petroleum oils on7-18.
intermediate host of tapeworm19-21.	Tunga penetrans (L) (see Chigos flea)
Trichodectes equi (L.) (see Biting horse lice)	Turkey red oil (also see Sulfonated castor oil) manufacturers18-13. same as sulfonated
Trichodectes pilosus Giebel (see Biting horse lice)	castor oil21-73. use in Formula No. 62
Trimming infested meats5-9.	Turpentine characteristics
Tropical horse tick (Dermacentor nitens Neum.) habits; control	destruction of removed ticks21-79. other names; price; availability; caution21-80. use to control
Tropical rat mite (Liponyssus bacoti (Hirst))	powder-post beetles6-11; 21-79.
attack on man 15-19. control15-19. habits15-18.	Tyroglyphidae (see Ham (or cheese)mites)
references15-22.	Vaccine Rocky Mt. spotted
Tropical social wasps (Polybiinae)	fever12-15.
control15-14. nests15-13. sting15-14.	Vaporizers (electric) also known as diffu- sors20-9.
00446	

Vaporizers (electric) (Cont'd)	Vespa (see Paper wasps)
description; uses20-9,10. manufacturers and distributors 20-11.	Vinegar availability21-81. characteristics; sources21-80.
Vaseline trade name for	use to control lice9-9,10,16; 21-80.
petrolatum21-61.	Vinegerones (see Whip scorpions)
Vaults (for fumigation) construction22-43. methods of fumigation22-44. plan(illus.)22-45.	Wasp nests control15-14,15. location15-12,13.
	Wasps
Vegetable gums	classes15-12.
emulsifiers21 -5.	control
Wolvet onto (Multillidae	social15-14.
Velvet ants (Multillidae description; habits;) solitary15-12. parastic15-12.
Peruvian species	references15-15.
	social15-13.
	solitary15-12.
Venomous caterpillars	sollodly
control15-16.	Washing soda
irritating effects	other names; uses;
	cost; availability
kinds15-15.	
treatment of irrita-	
tions15-18.	Webbing clothes moth
010113	(Tineola biselliella)
Ventilation (buildings	adults; larvae
or rooms)	(illus.)3-3.
termite prevention	control3-9; 21-66.
or control	damage(illus.)3-4.
2-8, 19, 24, 30;	description3-2.
2A-4; (illus.)2-20.	development3-7.
when treating with	silken tubes3-2.
chemicals5-10.	
	Wetters
Vermorel spray nozzles	use in insecticidal
description; uses	sprays21-5.
20-27.	

Whip scorpions (Vine- gerones) habits; effect15-27. Winter ticks (Dermacen- tor albipictus (Pack.) and D. nigrolineatus (Pack.)) control12-22. development12-22. habits12-10.	collection of samples7-4. control7-18. fish as control aids7-17. Xenopsylla cheopsis (Roths.) oriental rat flea13-2. Yellow fever mosquito (also see Aedes (mos-
Wire cloth (screening) uses; types; manu- facturers and dis- tributors20-46. Wolman salts (pressure-	quitoes)) breeding requirements7-11. exclusion7-21. scientific name7-7.
treated wood) manufacturers and distributors2-41.	Yellow jackets habits15-13. Zinc chloride (pressure-
Wood ticks (see Ticks) Workers caste of termites2-2.	treated wood) federal specifications2-23. manufacturers and distributors2-40.
Wrapping cured meats to pre-vent infestation5-8.	Zinc meta arsenite (pressure-treated wood) manufacturers and dis- tributors2-41.
Wrigglers (mosquito larvae)7-3.	Zinc oxide use to treat skin irritations15-18.

PART II - GENERAL REFERENCE INDEX

Africa	A
	factors in screw-
driver or army ants	worm spread18-5.
	horn fly as pest
	morn 119 ds post
African relapsing	
fever (see Di	human lice do not
fever (see Diseases)	breed on9-3.
	stable flies
American tropics	bodolo illes
legionary ants 15-3.	17-2,5,6.
-0520mary and 17-7.	dairy nerds
Amilan 3	stable flies reduce
Animals	production17-2.
ants destructive to	deed (0000010111/-2.
	dead (carcasses)
birds	burning (control
	blowflies and
lice as pests	screwworms)
••••••19-3.	9 17 19 10 7 1
mites as pests	8-17,18; 18-7,8.
	screwworms do not
wild	breed in18-3.
	spraying
source of	8-17; 21-22.
chicken mites	de-tiolsing
19-13.	de-ticking12-14.
feather mite	dogs
	control of fleas
19-14.	13-7; 21-24,25.
cats	oreosote oil caustic
control of fleas on	to do di caustic
13-7; 21-24,25.	to12-20,21.
hosts of chiggers	effect and control
Top of CHIRRELS	of ticks12-18.
	hosts of chiggers
human lice do not	or ourgears
breed on9-3.	1730-14-3.
sources of fleas	insects injurious
12 2	to19-1,15.
cettle	chiggers19-15.
cattle	ear mites19-17.
cattle fever tick	fleeg 10.15
	fleas19-15.
oattle; winter;	lice19-15,21.
tropical horse	mange mites
tioks norse	19-15.
ticks12-22.	sarcoptic mites
control of fleas	
on21-24.	:::::::19-16.
	ticks19-15.

Animals (Cont'd) dogs (Cont'd) human lice do not breed on9-3. injurious effects of stable flies17-2. sources of fleas13-3. domestic hosts of ticks12-1,2. donkeys treatment for bot flies16-12. dried products larder beetles as pests5-5. exclusion from seepage areas to prevent mosquitoes7-3. strays for flea control13-7. hogs human lice do not breed on9-3. injurious effects	injurious effects of stable flies
of stable flies	mammals
horses	attack of lice
control of bot	19-2.
flies16-9.	mules
dipping for insect control 19-4,8,9.	control of bot flies16-9.
factors in screw-	hosts of
worm control	bot flies16-1.
18-5.	chiggers14-3.
hosts of bot flies	ticks12-11,22,23.
16-1,7.	screwworm attack
chiggers14-3.	location
stable flies	18-3; 19-11.
17-5,6. ticks12-11,22.	prevention18-7.
01000.12.11,22.	

Animals (Cont'd)	Attics
rats (see Animals,	tropical rat mite
rodents)	control15-19.
rodents	•
control of fleas	Australian human tick
	paralysis
hosts of fleas	cause and species
	involved12-3.
hosts of tropical	111,01,01,01,01,01,01,01,01,01,01,01,01,
rat mite15-18.	Automobile casings
sheep	(discarded)
factors in screw-	mosquito breeding
worm spread 18-5.	
use in tick con-	places7-9.
trol12-16.	Decem
treatment of screw-	Eacon
worm infestations	extent of injury by
	ham skippers5-3.
wild	pollution by larder
	beetles5-7.
hosts of ticks	
	Baggage
And	distribution of bed-
Animal feeds	bugs10-2.
fumigation22-43.	
4	Bark (loose)
Animal pens	removal to control
control of scab	scorpions15-28.
mite21-12.	
	Barracks
Anthrax (see Diseases)	bedbug hiding places
Aquatic plants	fumigation
aid Mansonia mos-	chloropicrin; methyl
quito breeding 7-9.	bromide; sulfur
interfere with mos-	dioxide22-39.
quito control by	factors involved
fish7-17.	
removal for mosquito	hydrocyanic acid
control7-21.	22-38.
	precautions. 22-22.
Ascending paralysis	house spider breeding
caused by ticks	places15-24.
12-2.	treatment to control
A S	centinedes 35 32
	centipedes15-30.

Barracks (Cont'd) treatment to control (Cont'd) clover mites15-21. fleas13-6. houseflies8-11; 21-33.	treatment to control lice9-15,17. itch or scab mite15-22. Bedding (dog) treatment to control mange mites19-16.
house spiders15-24,25. mosquitoes bed nets7-21. spraying7-22. termites (see Buildings)	Beds (and bedsteads) control of bedbugs
Barrels mosquito breeding places7-3	prevention of bed- bugs21-42.
mosquito control with borax7-18; 21-10. Basements	Bins (or tight containers) fumigants for carbon disulfide
control of fleas and ticks with creosote oil21-22. screening against house spiders	chloropicrin 22-12. ethylene dichloride
of) control of stable flies17-8; 21-22.	Bird nests removal to control mites19-13,14.
mosquito control7-16.	Blankets airing and beating after fumigation
Bedclothing fumigation in storage rooms22-43. retention of hydro-	fumigation22-39. Body examination for ticks
cyanic acid gas	

Body (Cont'd) treatment to control straw or grain mite15-20.	Bronchial irritations caused by venomous caterpillars15-15.
	Brush
Bones ham skipper as pest	cutting to control ticks12-16.
5-2.	
Boots (aviator's fur-	Bubonic plague (see Diseases)
lined)	Duilding motomicle
protection from	Building materials
pests in storage	transport ants15-6.
22-40.	Buildings (also see
Borrow pits	Attics, Barracks,
mosquito breeding	Basements, Ceilings,
places7-11,12.	Chimneys, Doors,
	Floors, Foundations,
Boxes	Garages, Houses, Hos-
harbor chicken mites	pitals, Huts, Kennels,
19-13.	Living quarters, Mess
	halls, Outbuildings,
Brain fever (encepha-	Partitions, Piers,
lomyelitis)	Porches, Sills,
carriers7-10.	Stables, Steps, Store-
Deced (marchaned)	rooms, Sub-flooring,
Bread (sweetened)	Warehouses, Windows)
attracts Argentine	breeding places of
ants15-4.	ants15-4,5. conditions favorable
Bricks	to termites
habitat of spiders	2-6; 2A-6.
	construction to pre-
removal to control	vent termite damage
millipedes15-31.	2-2,7; 2A-1.
	control of pests
Bridges	ants15-6; 21-25.
habitat of black	bedbugs21-66.
widow spider 15-23.	brown dog tick
	12-21.
Bristles	clover mite15-21.
require protection	fleas21-66.
from fabric pests	houseflies21-33.
3-1.	lice21-25.

Barracks (Cont'd) treatment to control (Cont'd) clover mites	treatment to control lice9-15,17. itch or scab mite
fleas13-6. houseflies 8-11; 21-33.	Pedding (dog) treatment to control mange mites19-16.
house spiders15-24,25. mosquitoes bed nets7-21.	Beds (and bedsteads) control of bedbugs
spraying7-22. termites (see Buildings)	hiding places of bed- bugs10-4. inspection for bed- bugs10-4.
Barrels	prevention of bed-
mosquito breeding places7-3.	bugs21-42.
mosquito control with borax7-18; 21-10.	Bins (or tight con- tainers) fumigants for
Basements	carbon disulfide
control of fleas and	22-9.
ticks with creosote	chloropicrin 22-12.
oil21-22.	ethylene dichloride
screening against	
house spiders	fumigation22-50.
15-25.	hardwood construction
• • • • • • • • • • • • • • • • • • • •	subject to Lyctus
Bay grasses (windrows of)	beetle attack6-3.
control of stable	Bird nests
flies17-8; 21-22.	removal to.control mites19-13,14.
Bayous	
mosquito control	Blankets
	airing and beating after fumigation
Bedclothing	22-39.
fumigation in storage rooms22-43.	fumigation22-40.
retention of hydro-	Body
cyanic acid gas	examination for ticks12-13.

Ceilings	evidence of fabric
· mite dissemination	pests3-2.
	flea control with
from15-18.	
	pyrethrum21-66.
Cheese	fumigable storage
control of mites	3-10.
cold storage not	fumigation
effective5-8.	carbon disulfide
hot water or steam	21-14.
5-8.	carbon tetra-
fumigation22-47.	chloride21-15.
ethylene oxide-	chloropicrin
carbon dioxide	_
	9-14; 21-18.
mixture 21-13,30.	control of ticks
hydrocyanic acid	
gas21-37.	ethylene dichloride
pests	carbon tetrachlor-
ham or cheese	ide mixture 22-13.
mites5-7.	ethylene oxide-
ham skipper5-2.	carbon dioxide
larder beetles	mixture22-14.
5-5.	gas tight chambers
principal pests	or vaults22-43.
5-2.	naphthalene
Chima and	22-18,40.
Chimneys	paradichlorobenzene
screening for mos-	22-19,40.
quito control 7-21.	kerosene as chigger
	repellent21-42.
Cisterns	mothproofing3-8.
mosquito breeding	treatment to control
places	fabric pests3-9.
F	itch or scab mite
Clothing (or garments)	
ants destructive to	
	lice9-11,16.
hmanding plants.	straw or grain mite
breeding place of	
body lice9-5.	treatment to prevent
centipede removal	tick bites12-12.
	use to exclude
disseminates	chiggers14-7.
bedbugs10-2.	
cockroaches11-5.	Colic (of horses)
human lice9-7.	caused by herse bots
	16-7; 19-10.
	,

Commissaries cockroaches	Debris breeding source of
developmentll-4.	stable flies
entrancell-2.	8-31; 17-3.
ham or cheese mites	encourages increase
as pests5-7.	of centipedes 15-30.
protection from	habitat of
flies8-11.	house spiders
Concrete	scorpions15-27.
coal tar pitch used	tarantulas15-26.
to fill voids	removal to control
21-19.	millipedes15-31.
	scorpions15-28.
Corn (husks and cobs)	
breeding source of	Death
stable flies17-3.	animals, from
Cota (see Doda)	lice19-3.
Cots (see Beds)	screwworms19-11.
Cotton (alothina)	dogs, from
Cotton (clothing) fire ant destruction	demodectic mange
	sarcoptic mange19-17.
Coughing	horses, from
venomous cater-	horse bots19-10.
pillars as cause	lice19-1,2.
	mange mites 19-7,8.
	stableflies19-9.
Culverts	insects, from
habitat of black	centipedes15-29.
widow spider 15-23.	man, from
•	black widow spider
Cured fish	
ham skipper as pest	scorpions15-28.
5-2.	screwworms19-12.
	pigeons, from
Cured meats (see Meat)	chicken mites
	19-13.
Dairy herds (see	
Animals)	Decayed (or rotting)
D	wood (see Wood, decayed)
Danger	Doma la obda waren
exposure to fumi-	Demodectic mange of
gants22-3.	dogs19-15,19,20.

Dengue (see Diseases)	dengue
Dermatitis caused by itch or scab mite15-21. grocer's itch 15-20. straw itch15-20.	carriers7-2,7. encephalomyelitis (brain fever) Aedes mosquitoes as carriers7-10. endemic typhus carriers
Dining halls (see Mess halls)	fleas13-2. tropical rat mite
Diseases African relapsing fever Ornithodoros mou- bata as carrier	filariasis carriers mosquitoes7-2,10. foot mange of horses
12-3.	19-8.
anthrax carriers bloodsucking flies8-24. stable fly 8-24;17-2;19-9. bubonic plague human flea as possible vector13-3. Oriental and European rat fleas as vectors13-2. transmission and spread13-2. canine piroplasmosis brown dog tick as carrier12-20.	human tick bite fever (of Laurenco Marques) Amblyomma hebraeum as carrier12-3. infantile paralysis stable fly as carrier17-2. malaria mosquito control for prevention beyond camp limits7-23. sprays7-22. time of contraction7-23. use of bed nets for prevention7-21. mange (or scables)
carriers blood-sucking	dogs19-2,15.
flies8-24.	horses19-2,6. pigeon malaria
fleas13-1,2. lice9-2,7. mosquitoes7-2. rat and itch mite15-2. stable flies	carrier19-2,22. rabbit fever (tulare- mia) care of infected persons12-15. carriers12-2.
17-2,5; 19-9. ticks12-1.	

Diseases (Cont'd)	bed nets for pre-
relapsing fever	vention7-21.
transmission	control by mosquito
lice9-2.	control7-9,23.
ticks12-2,15.	
Rocky Mt. spotted	Digestive stoppage
fever	horses from horse
care of infected	bots19-10.
persons12-15.	, 200
carriers12-2,11.	Ditches
distribution;	examination for mos-
forms; virulence	quito control7-11.
12-11.	
proportion of	Dog kennels (see Kennels)
ticks usually in-	,
fested12-12.	Dogs (see Animals)
protective vaccine	,
	Doors
sarcoptic mange of	construction of
dogs19-15,16,17.	frames or jambs to
surra	prevent termites
stable fly as	2-18; 2A-3.
carrier	screening for mos-
17-2; 19-9.	quito control
swamp fever	7-21.
stable fly as	
carrier17-2.	Dried food products
tail mange of horses	beef
19-8.	ham skipper as pest
Texas fever of cattle	5-2.
cattle ticks as	fruit
carriers12-22.	hydrocyanic acid
tick fever of cattle	gas as fumigant
carried by cattle	21-37.
tick12-2.	meats
trench fever	larder beetles as
lice as trans-	pests5-5.
mitters9-2.	smoked or cured meats
typhus fever	injury by larder
lice as trans-	beetles5-7.
mitters9-2.	
tularemia (see Dis-	Ear mange of dogs
eases, rabbit fever)	19-15,18,19.
yellow fever	
Aedes aegypti as	Ears (dogs)
carrier7-7.	mange19-15,18,19.

Ears (dogs) (Cont'd)	Fabrics
mites19-17.	fumigation22-40.
	carbon tetrachloride
Eave troughs	21-15.
mosquito breeding	ethylene dichloride-
places7-3,9.	carbon tetrachlor-
P240001111111111111111111111111111111111	ide21-15,29.
Emaciation	ethylene oxide-
horses from horse	carbon dioxide
bots19-10.	21-30; 22-42.
550511111111111111111111111111111111111	tight chambers or
Encephalomyelitis	vaults22-43.
(brain fever) (see	insect pests
Diseases)	carpet beetles 3-6.
Disoases	control
Endemic typhus (see	
Diseases)	naphthalene3-
Diseases/	8; 21-53; 22-40.
Frailoge	paradichloroben-
Ensilage treatment to control	zene
stable flies17-9.	3-8;21-58;22-40.
Budule 1116517-9.	evidence of injury
Proposion ininta	3-2.
Expansion joints	items requiring
sealing to prevent	protection3-1.
termites	prevention of in-
2-22; 2A-5.	jury3-8.
coal tar plastic	webbing clothes
cement	moth3-4.
2A-5; 21-20.	moth proofing
coal tar pitch	3-8; 21-52.
2-22; 2A-5; 21-29.	
78. 4	Fermenting vegetation
Extra cantonment areas	stable fly breeding
control of	and prevention 8-31.
screwworms18-6.	
stable and dog	Fever
flies8-31.	caused by
	Paraponera clavata
Eyes	
treatment of screw-	tropical rat mite
worm infestations	
18-11.	
venomous caterpillar	Filariasis (see Diseases)
irritations15-15.	
wash for chloropi-	
crin21-71.	

Filing cabinets subject to Lyctus beetle injury6-3.	hardwood subject to Lyctus beetle injury 6-3.
Fills (hydraulic) mosquito breeding places (illus.)7-12.	protection from ter- mites 2-21,22; 2A-4. surface applications to control Lyctus (powder-post beetles
Fire buckets borax to prevent mosquito breeding7-18; 21-10. mosquito breeding places7-3,9.	tent hiding place of scorpions15-27. treatment to control tropical rat mite15-19.
Fire escapes (wooden) clearance from soil to prevent termites2-18.	Flour chloropicrin deleterious to22-12.
Fire hezards ants	Flour mills source of grain mite infestation15-20.
black widow spider victims15-24. fumigation victims	Flower vases mosquito breeding place7-9.
Flood water mosquito breeding	Food containers ant prevention15-6.
places7-3. Floors ants that breed	Food establishments source of "grocer's itch"15-20.
beneath15-5. cement construction to prevent termites2-21. cracks	Food supplies attract Argentine ant
control of body lice with cresol21-24.	arthropods15-2. blowflies8-14. cockroaches11-2. food insects4-1.

Food supplies (Cont'd) dry heat as insect control4-4. fumigation4-6. carbon tetrachlo- ride21-15. ethylene dichloride -carbon tetrachlo- ride21-15,29. ethylene oxide22-14. hydrocyanic acid gas21-37,39. methyl bromide not recommended22-17. naphthalene not suitable21-54; 22-18. paradichloroben- zene not suitable21-59; 22-19. prevention of insect infestation avoid long storage4-3. cold or dry storage4-5. inspection of in- coming supplies4-5. purchase of insect- free products4-3. refrigeration	Foundations (in relation to termite prevention) concrete platforms or ground slabs2-21. cracks or voids2-6,7,8; 2A-2,5. dryness essential2-11. grading2-11; 2A-4. imperviousness essential2-13; 2A-3,5. inspection2-7,13. metal barriers; shields; aprons2-14,24,34; 2A-4,5. porches and terraces2-13; 2A-4. poured concrete 2-13. pressure-treated or naturally resistant wood2-22,24. shelter tubes on surface2-5,7,13,31,(illus.)2-5,6,31. skirting between piers2-18,20. use of soil poisons around2-36. ventilation2-11,30; 2A-4. windows or openings below grade2-18. wooden piers or posts2-13. wooden porches or steps2-18.
sanitation4-4.	steps2-18.
storage in tight containers4-5. transport ant in-	Fresh water (see Water, fresh)
festations15-6.	Fresh water marshes (see Marshes)
(see Diseases)	

Fuel boxes (outdoors)	funigable storage
location to prevent	3-10.
termites2-18.	moth proofing
	3-8; 21-52.
Furniture	naphthalene
ant prevention 15-7.	22-18; 3-8; 21-53.
fumigation	paradichlorobenzene
ethylene oxide-	3-8; 22-19.
carbon dioxide	, <u>-, .</u>
21-13; 22-43.	Garages
tight chambers or	habitat of black
vaults22-43.	widow spider15-23.
retention of chloro-	widow Spidoti)-27.
picrin and hydro-	Garbage
cyanic acid22-39.	
second hand as means	ant prevention15-6.
	borax for treatment
of distributing	018-8; 21-10.
.2-01lo-2.	care and disposal to
subject to Lyctus	control
beetle damage6-3	blowflies8-17.
treatment to control	a a gnats8-23.
powder-post beetles	aouseflies8-8.
	containers (care and
tropical rat mite	cleaning)8-8.
	caustic soda 21-16.
	washing soda 21-81.
Furring (wood)	control of fly larvae
impregnation to pre-	petroleum21-62.
vent termites 2A-4.	
	Garments (see Clothing)
Furs	
evidence of fabric	Girders (wooden)
pest infestation	clearance and loca-
3-2.	tion to prevent
fumigation	termites2-8.
ethylene dichlo-	
ride22-13.	Grain (and seed)
ethylene oxide	fumigation
	carbon disulfide
preventing fabric	21-14; 22-9.
pest injury to 3-8.	carbon tetrachloride
protection from	
	chloropicrin
fabric pests	***
cold storage3-9.	21-18;22-12.
essential3-1.	

Grain(and seed)(Cont'd) fumigation (Cont'd) ethylene dichloride22-13. ethylene dichloride -carbon tetrachloride21-15,29. ethylene oxide- carbon dioxide21-13; 22-47. hydrocyanic acid gas21-37. naphthalene not suitable22-18. Grass clippings treatment to control trol stable flies17-7,9. cutting to control ticks22-16. windrows breeding source of stable flies17-3.	Habitations (see Buildings) Hair breeding place of lice9-3,5,7. control of lice head lice9-8; 21-43,44,80. pubic lice9-16. tick remedy injurious to12-24. Ham pests ham beetle5-4. ham skipper5-2. larder beetle5-7. reconditioning by trimming5-7. Hard water Aresket as emulsifier21-8. Hardwood (see Wood)
Grocer's itch cause; control15-20.	Hats treatment to control lice9-10.
Ground ant nests15-5,6. bee and wasp nests15-12,13. Ground slabs (concrete or masonry) construction to pre- vent termites 2-21. treatment to control termites2-38. Gun stock blanks Lyctus beetle in- festations6-3.	breeding source of stable flies8-31; 17-3. treatment to control stable flies17-8. Heartwood (see Wood) Helmets protection of aviator's fur lined21-53; 22-40.

Hides (green) ham skipper as pest	Infection ticks as source12-14.
High top shoes precaution against tick bites12-12.	Injury dogs lice; mange mites19-2.
Hogs (see Animals)	horses lice19-2,4.
Hoof prints (animal) malaria mosquito breeding place 7-3.	mange mites19-2. pigeons mites; pigeon fly
Horses (see Animals)	
Household furnishings (see Furniture)	Irrigation water mosquito breeding place7-3.
Houses (also see Buildings) bee and wasp nests15-13. Hospitals Pharoah ant a pest	Itching dogs, caused by demodectic or red mange19-20. ear mites19-19. lice19-21. sarcoptic mange
Human tick bite fever	mites19-16. horses from mange mites19-8.
(see Diseases)	Joists (of buildings)
Huts precaution against tick bites12-13.	hosts of powder-post beetles6-2. termite prevention clearance2-8.
Ice box drains mosquito breeding places7-3.	impregnation2-21. location2-21.
Implement handles subject to Lyctus beetle infestation6-3.	Kennels control of fleas and ticks21-22. disinfection for mange mites19-16.
Infantile paralysis (see Diseases)	spraying for brown dog tick12-20,21.

Kitchens attract cockroaches	Litter burning to control
11-2.	mites
control of house-	dog19-16.
flies8-11.	pigeon19-14.
Lake margins	Livestock
mosquito breeding	control of insects
areas7-14.	pyrethrum fly
	sprays21-66.
Latrines	sprays for flies
treatment	21-31.
control black	sprays for stable
widow spider	flies17-9.
	cube powder for
exclude house-	lice and ticks
flies8-10.	21-24.
	disease carriers
Lattices	stable fly17-2.
clearance for ter-	ticks12-1.
mite prevention	host of wood ticks
2-8.	
	injurious insects
Laundry	chicken and feather
means of distribution	mites19-13.
bedbugs10-2.	lice19-2.
cockroachesll-5.	sandflies8-25.
	screwworms19-11.
Lawn clippings	spinose ear tick
breeding source of	12-3.
stable flies17-3.	
	Living quarters
Leather goods	house spider infesta-
remove before fumi-	tion15-24.
gating with methyl	
bromide22-39.	Logs (hollow)
	habitat of black wid-
Leggings	ow spiders15-23.
precaution against	
tick bites12-12.	Lumber (also see Wood)
	habitat of house
Lily ponds	spiders15-24.
mosquito breeding	hiding place of
place7-3.	scorpions15-27.

Lymphatic glands swelling from Para- ponera clavata sting	straw or grain mite15-20. tropical rat mite15-18,19. wood ticks12-4.
Malaria (see Diseases)	millipedes annoying to15-31.
Mammals (see Animals)	mosquito repellents for use on7-22.
Man	no satisfactory stable
attack and effect of	fly repellent avail-
stable flies	able17-10.
	pigeon flies annoying
brown dog tick annoy-	to19-21.
ing to12-20.	prevention against
cattle, winter, trop-	chiggers
ical horse tick not	14-7; 21-74.
injurious12-22.	rarely attacked by
centipedes injurious	young of American
to	dog - or spotted
control of lice on	fever-tick12-9.
	removel of spinose
encephalomyelitis	ear tick from ears
transmitted by	12-23.
Aedes mosquitoes	susceptibility to
7-10.	sarcoptic mange
few arthropods dan-	
gerous to15-3.	treatment
host of	flea bites13-8.
bedbugs10-2.	screwworm infesta-
ohicken mite	tion18-9.
••••••••••••••••••••••••••••••••••••••	Mange (or Scabies)(see
chiggers14-5. fleas13-3.	Diseases)
fowl tick12-5.	Diseases
itch or scab mite	Man-holes
	habitat of black
lice9-2.	widow spider15-2).
Ornithodoros turi-	. Wildow Spidor, wy.
cata Duges12-5.	Manure
screwworms	breeding source
8-17; 18-2.	ham flies19-11.
spinose ear tick	houseflies19-12.
12-3,23.	stable flies
7,~,	8-31; 17-2.

Manure (Cont'd)	hiding place of bed-
disposal to control	bugs10-4.
eye gnats8-23.	retention of hydro-
houseflies8-5.	cyanic acid gas
treatment	22-39.
break up to con-	source of straw mite
trol horn flies	infestation15-20.
19-11.	
borax8-8; 21-10.	Meadows
chemical against	mosquito breeding
houseflies8-8.	place7-15.
control stable	
flies17-8.	Meadow mice
petroleum (crude	control with poison
oil) against fly	bait to reduce ticks
larvae21-62.	12-17.
Marshes	Meat
breeding place of	control of insect
Mansonia mosquitoes	pests5-7.
	cured
fresh water	fumigation
coconut oil soap	5-9; 22-47.
emulsifier in	ethylene oxide-
mosquito larvi-	carbon dioxide
cides21-20.	21-13,30.
mosquito breeding	pests5-2.
place7-13.	ham or cheese
mosquito control	mites:5-7.
drainage or ditch-	larder beetles
ing7-13,14.	5-5,7.
examination7-11.	wrapping or coating
salt water	as insect pro-
Aresket as emulsi-	tection5-8.
fier in mosquito	draws Argentine ants
larvicides21-8.	
mosquito breeding	hydrocyanic acid gas
place7-3,15.	as fumigant21-37.
water management	infestation by blow-
for mosquito con-	flies8-15.
trol7-13.	mites in counters or
	cases
Mattresses	control with hot
air and beat after	water or steam
fumigation22-39.	5-8.

Meat (Cont'd) reconditioning by trimming5-9.	habitat of black widow spider15-23.
refrigeration and screening to control blowflies5-1; 8-17.	Paralysis caused by sting of Paraponera clavata15-3.
storages5-8. wrapping as protec-	of insects from centipedes15-29.
tion against in- sects5-8.	Partitions (wood, in basements) construction to pre-
Mess halls (also see Buildings) attractive to cock-	vent termites2-19; 2A-3.
roachesll-2.	Peanut litter breeding place of
flies8-11.	stable flies17-3.
formalin as poison21-33.	treatment to control stable flies 17-7,9.
Mules (see Animals)	Pens (animal) disinfection19-9.
Nasal catarrh attracts screwworm	Piers
flies19-12.	soil around
Naturally resistant	chemical treatment to control termites
wood (see Wood, naturally resistant)	structural require-
	ments to prevent
Nose treatment of screw-	clearance from lat-
worm infestations	tices or skirting
18-9. ether21-28.	2-8,18,20.
001161	2-13,19,20.
Outbuildings	metal shields2-13,25,26.
fleas13-6.	pressure-treated
fleas and ticks with creosote oil	wood2-13,22.
21-22.	Pigeon nests
house spiders15-25.	cleaning19-23.

Pigeons caution in use of fly sprays on	mosquito breeding places7-3. mosquito larvicides for7-17; 21-20. Porches isolation and shield-
malaria of19-2,22. mites19-12,13,14.	ing to prevent termites2-13,18. treatment to control
Pipes (water, etc.) arrangement, sealing, shielding to pre- vent termites 2-21. means of mite dis-	Pork products (cured) ham skipper as pest
semination15-18. sealing of spaces around asbestos21-8. coal-tar plastic cement21-20. coal-tar pitch	Poultry pests fowl tick12-5. mites19-12. ticks as disease carriers12-1.
Plague (bubonic)(see Diseases)	Premises treatment to control mange mites19-16.
Plants are free from centi- pede injury15-29.	Pressure-treated wood (see Wood, pressure-treated)
hosts of venomous caterpillars 15-16. parts fed on by millipedes15-30. transport ants 15-6.	Puddles (see Rain pools) Quarters (see Barracks)
Platforms (concrete) construction to pre- vent termites 2-21. treatment to control	Rabbit fever (see Diseases) Rafters (of buildings) hosts of powder-post
Ponds examination for mosquito control 7-11.	Rain pools (or puddles) examination for mosquito control7-11.

Rain pools (or Roosts puddles)(Cont'd) treatment to control chicken mites 19-13. mosquito breeding places......7-3. Rot holes (in trees) Rats (see Animals) sandfly control creosote oil8-30; 21-22. Receptacles (water) examination for mosdraining.....8-30. quito control 7-11. Rotting wood (see Wood, Reclamation projects decayed) water management for mosquito control Roundworm of horses transmitted by house-.....7-13. Red mange (see Diseases) Rubber insulation Relapsing fever (see ants destructive to Diseases) Reservoirs Rubbish mosquito-breeding clean up to control places.....7-3. tarantulas....15-26. encourages increase mosquito control of centipedes 15-30. Rocks Salt water marshes (see habitat of black Marshes) widow spider 15-23. treatment to control Salt pork black widow spider ham skipper as pest Rocky Mt. spotted Salt water (see Water, fever (see Diseases) salt) Rodents (see Animals) Sapwood (see Wood) Rooms Sarcoptic mange (see asbestos-calcium Diseases) chloride paste for sealing.....21-8. Scabies (see Diseases, mange)

Sea water	hosts of powder-post
Aresket as emulsi-	beetles6-2.
fier21-8.	
	Skin irritations
Seaweed	cause
breeding source of	tropical rat mite
stable flies	
8-31; 17-3.	venomous cater-
	pillars15-15.
Seed (see Grain)	whip scorpions
Camtia tamber	
Septic tanks	treatment15-18.
mosquito breeding	Claimting (foundation)
places7-3.	Skirting (foundation) termite prevention
Sewage	clearance
disposal to prevent	2-22; 2A-4.
housefly breeding	construction
8-10.	2-8,19.
mosquito breeding in	, , , , , , , , , , , , , , , , , , , ,
disposal facilities	Sleepers (floor)
	pressure treatment to
	prevent termites
Sheep (see Animals)	2-22; 2A-4.
Shoes	Sleeping quarters
kerosene as chigger	screens and nets for
repellent21-42.	screwworm prevention
	8-19.
Short circuits	G1d.ma
ants as cause15-4.	treatment
Shoulders (meat)	borax17-8; 21-10.
ham skipper injury	control stable
	flies17-8.
larder beetle pollu-	111000000000000000000000000000000000000
tion5-7.	Snow water
020200000000000000000000000000000000000	mosquito breeding
Silk (clothing)	place7-3.
fire ant destructive	
to15-4.	Socks
	use to prevent tick
Sills (of buildings)	bites12-12.
construction to pre-	
vent termites 2-21.	

cracks as mosquito breeding places	conditions favorable to fabric insects
prevention and control of termites2-2,4,6,7, 8,11,14,31; 2A-2,4. by chemical poisoning2-34.	control of fabric insects3-11. insects destructive in3-2. sanitation to prevent food insects4-4.
Soldiers arthropods as nuis- ances15-2. "cavalryman's itch"19-7. Sore throats horses, from horse	Straw breeding source of stable flies8-31; 17-2,3. treatment to control stable flies 17-7,8. Straw itch
bots19-10.	cause; control 15-20.
Stables disinfection19-9.	Streams examination for mosquito control7-11.
Steps construction to pre- vent termites 2-18.	mosquito control7-17.
Stones clean up to control scorpions15-28. habitat of tarantu- las15-26. hiding place of scorpions15-27.	Structural timbers hardwood subject to Lyctus beetle attack6-3. Subflooring (of build- ings) host of powder-post beetles6-2.
Storage spaces control of tropical rat mite15-19.	Sugar draws Argentine ants
Stored food (see Food supplies) Store rooms (or stor-	Supplies inspect incoming to prevent cockroaches
age deposits) attract cockroachesll-2.	Surra (see Diseases)

Swales harbors chicken mites mosquito breeding places.....7-15. Tree holes Tail mange of horses examination for mos-(see Diseases) quito control..7-11. mosquito breeding Tapeworm places.......7-3. intermediate hosts fleas.....19-15. Trees lice....19-15,21. bee and wasp nests Telephone lines hosts of venomous ants destructive to caterpillars..15-16. Trench fever (see Tent (floors) Diseases) hiding place of scorpions....15-27. Typhus fever (see Diseases) Terraces isolation and Tularemia (see Diseases) shielding to prevent termites 2-13. Underbrush treatment to control burning or removal for tick control termites.....2-37. 12-16. Texas fever of cattle (see Diseases) Vaults chloropicrin as gen-Tick fever of cattle eral fumigant 22-12. (see Diseases) construction for fumigation....22-43,45. Tiles ethylere dichloride habitat of black as fumigant for fabwidow spider 15-24. rics, garments and furs.....22-13. ethylene oxide-carbon Toilet bowls mosquito breeding dioxide mixture as places......7-9. fumigant.....22-14. fumigation methods Trash habitat of house methyl bromide for spiders.....15-24. fumigating certain commodities...22-17.

Vegetation (or vege-	calcium cyanide
table matter)	
fermented as breed-	choice of fumigant
ing source of	22-22.
stable flies	chloropicrin
8-31; 17-2,3.	
sprays to control	hydrocyanic acid
mosquitoes7-22.	discoids22-31.
wood ticks	hydrocyanic acid
12-18; 21-54.	gas most efficient
treatment to control	22-15,23.
stable flies	instructions 22-20.
8-31; 17-7,8,9.	methyl bromide
	21-50; 22-37.
Vermin	precautions22-22.
legionary ants as	quickest method of
removers15-3.	controlling insect
	pests22-3.
Vines	sodium cyanide and
removal for tick	dilute sulfuric
control12-16.	acid22-26.
	sodium cyanide
Visitors	dosage22-28.
distributors of bed-	temperature; time;
bugs10-2.	method; dosage
Walls (basement)	Pharaoh ant a pest of
ants that breed in	
	prevention of termite
coal tar pitch to	concrete platforms
fill cracks21-19.	or ground slabs
construction to pre-	2-21.
vent termites	treatment to control
2-21; 2A-5.	tropical rat mite
use of termite	
shields2-25,26.	ventilation after
	fumigation22-36.
Warehouses	1 tuning a di dii
creosote oil for	Water
control of fleas	fresh
and ticks21-22.	pyrethrum-oil
fumigation	emulsion for mos-
absorption of	quito control
fumigants by	7-19.
stored commodities	
20160 000000010162	

Water	close-cutting to con-
mosquito control	trol ticks12-16.
airplane dusting	
7-20 .	Windows
borax to prevent	frame construction
breeding	to prevent termites
7-18; 21-10.	2-18.
check up after	screening for mos-
insecticidal	quito control7-21.
treatment7-11.	traps or electric
determination of	grids for stable fly
acreage7-10. elimination from	control17-10,11.
breeding places	Wood
	as food of termites
examination7-11.	2-2; 2A-2.
fuel oil as larvi-	chemically impregna-
cide21-34.	ted (see Pressure-
impounding7-16.	treated wood)
management	chemical treatment to
7-13,17.	repel Lyctus beetles
oil as larvicide	6-8.
7-18.	control of Lyctus or
Paris green	other pewder-post
7-19; 21-59.	beetles
treatment with	borax21-10.
larvicides	chemical treatment
7-18,19,20.	6-10.
salt	cottonseed oil
emulsifiers in	
mosquito larvi-	creosote oil 21-22.
cides	dry or moist heat
Gardinol W.A21-35.	fuel oil21-34.
Orvus W.A.	immersion treat-
	ment6-11.
petroleum-oil	kerosene21-42.
emulsion mosquito	lime sulfur repell-
larvicide7-19.	ent dip21-46.
202 1202 40 1 4 7 4	linseed oil21-46.
Weeds	orthodichlorobenzene
breeding source of	21-56.
stable flies	pentachlorophenol
8-31; 17-3.	21-60.

Wood (Cont'd)	heartwood
control of Lyctus or	immunity to Lyctus
other powder-post	beetle infestation
beetles (Cont'd)	6-2.
pine oil21-64.	selection to prevent
sanitation6-10.	Lyctus beetle in-
control of termites	festationó-5.
2-30.	strength compared
removal from soil	to sapwood6-5.
contact	inspection to prevent
2-7,8,11,33;2A-3.	Lyctus beetle in-
debris	festation6-6.
clean up or remove	kinds and type subject
to control	to Lyctus beetle
chicken mites	attack
19-13.	methods and preserva-
millipedes	tives for chemical
	impregnation2-22.
scorpions 15-28.	naturally resistant
decayed (or rotting)	(to termites)
ants that breed in	types2-24.
	uses2-13,22.
food of millipedes	pressurs-treated
15-30.	companies handling
habitat of taran-	2-39.
tulas15-26.	factors determining
effects of Lyctus	length of service
beetle infestations	
	provisions concern-
evidence of termite	ing use2-23.
damage2-4.	uses 2-13,22; 2A-4.
finished products as Lyctus beetle hosts	prevention of termite attack
	creosote oil 21-22.
hardwood (products	in basements2-19.
with reference to	prevention of Lyctus
Lyctus beetle in-	beetle attack
festation)	selection and
classes sus-	grading6-5.
ceptible6-3.	sapwood
preventive	adverse effect of
measures6-5.	kerosene on6-12.
symptoms6-4.	



LIBRARY STATE PLANT BOARD

Circular 23 - Reference Index

90

Wood (Cont'd)		d
sapwood (Cont'd)		
chemical treatment		ď
to prevent Lyctus		
beetle infesta-		
tion6-7.	ř	C
susceptibility to		•
Lyctus beetles		d
6-2,5,6,7.		
wheels and spokes		
subject to		
Lyctus beetle		
attack6-3,6.		
a 0 0 a 0 a 0), 0 .		p
Was a miles		r
Wood piles habitat of black		
		t
widow spider		+
15-23,24.		,
2 /-3 othing)		
Wool (clothing)		
fire ant destructive		
to		
		1
Wounds		
air-bulb atomizer		
for treating infes-		
tations in20-6.		
ants inject formic	2	7 -
acid into15-3.	7	(e)

attract screwworm
flies19-11,12.
benzene for killing
human bot flies and
screwworms21-9.
caused by mange mites
19-6,8.
disinfectants
carbolic acid
21-12.
iodine21-41.
silver nitrate
21-68.
prevent in animals to
avoid screwworms
avoid sciewworms
18-6,7.
treatment18-7.
treatment of screw-
worm infestations
8-19; 18-9; 21-17.
chloroform21-17.
diphenylamine
21-27.
unhealed (animals
with)
treatment to control
mange19-9.
maria of the territory

Yellow fever (see Diseases)